



**HUSTEEL INDUSTRY GROUP**  
**HUNAN STANDARD STEEL CO.,LTD**

**SSAW STEEL PIPE STOCK LIST**

**SAW/SAWH/SAWL STEEL PIPE**

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/11800	663.32	377	10	5800/11800	676.65
			7		663.32		11		686.65
			8		697.51		12		683.49
			9		697.51		13		683.49
		273	6		663.32	406.4	6		673.32
			7		663.32		7		673.32
			8		697.51		8		687.51
			9		697.51		9		687.51
			10		716.65		10		686.65
		323.9	6		663.32	426	11		686.65
			7		663.32		12		693.49
			8		697.51		13		693.49
			9		697.51		6		683.32
			10		716.65		7		683.32
			11		716.65		8		687.51
		325	12		723.49	426	9		687.51
			6		663.32		10		696.65
			7		663.32		11		696.65
			8		697.51		12		703.49
			9		697.51		13		703.49
			10		716.65		6		683.32
			11		716.65		7		683.32
		355.6	12		723.49	457	8		697.51
			6		663.32		9		697.51
			7		663.32		10		696.65
			8		697.51		11		696.65
			9		697.51		12		703.49
			10		716.65		13		703.49
		377	11		716.65	478	6		673.32
			12		723.49		7		673.32
			6		663.32		8		687.51
			7		663.32		9		687.51
			9		697.51		10		687.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/11800	699.30	711	13	5800/11800	692.98
			12		706.14		14		699.92
			13		706.14		15		699.92
		508	6		678.79	16	699.92		
			7		699.30	6	698.79		
			8		706.14	7	699.30		
			9		707.51	8	696.14		
			10		712.98	9	697.51		
			11		712.98	10	702.98		
			12		712.98	11	702.98		
			13		719.82	12	702.98		
		529	14		719.82	13	709.82		
			6		678.79	14	709.82		
			7		699.30	15	721.25		
			8		706.14	16	721.25		
			9		707.51	7	678.79		
			10		712.98	8	699.30		
			11		712.98	9	706.14		
			12		712.98	10	707.51		
		630	13		719.82	11	712.98		
			14		719.82	12	712.98		
			6		678.79	13	719.92		
			7		699.30	14	719.92		
			8		706.14	15	711.25		
			9		707.51	16	711.25		
			10		712.98	17	720.33		
			11		712.98	18	699.30		
			12		712.98	7	686.14		
			13		719.82	8	687.51		
			14		719.82	9	692.98		
			15		726.65	10	692.98		
			711		6	678.79	11		692.98
					7	699.30	12		699.82
					8	706.14	13		699.82
		9			707.51	14	699.82		
		10			712.98	15	711.25		
		11			712.98	16	711.25		
		12			719.82	17	720.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/11800	713.49	1420	11	5800/11800	689.39	
		920	8		658.79		12		696.14	
			9		679.30		13		697.51	
			10		686.14		14		702.98	
			11		687.51		15		702.98	
			12		692.98		16		702.98	
			13		692.98		17		709.82	
			14		699.82		18		709.82	
			15		699.82		19		721.25	
			16		699.82		20		721.25	
			17		699.82		1620		11	696.14
		18	706.65		12				697.51	
		8	679.30		13				702.98	
		9	686.14		14				702.98	
		10	687.51		15				702.98	
		11	692.98		16				709.82	
		12	692.98		17				709.82	
		13	699.82		18	721.25				
		14	699.82		19	721.25				
		15	699.82		20	730.49				
		1020	16		699.82	1820	12		697.51	
			17		706.65		13		702.98	
			18		706.65		14		702.98	
			19		706.65		15		702.98	
			20		713.49		16		709.82	
			8		679.30		17		709.82	
			9		686.14		18		721.25	
			10		687.51		19		721.25	
			11		692.98		20		730.49	
			12		692.98		2020		13	697.51
		1220	13		699.82	14			702.89	
			14		699.82	15			702.89	
			15		699.82	16			702.89	
			16		699.82	17			709.82	
			17		706.65	18			709.82	
			18		706.65	19			721.25	
			19		706.65	20			721.25	
			20		713.49	2220			13	730.49
			1420		10				692.98	14

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/11800	689.39
			16		696.14
			17		697.51
			18		702.98
			19		702.98
			20		709.82
		2500	14		702.98
			15		709.82
			16		709.82
			17		709.82
			18		709.82
			19		716.65
			20		716.65
			21		716.65
			22		723.49
			23		730.33
		2540	24		730.33
			25		730.33
			15		702.98
			16		709.82
			17		709.82
			18		709.82
			19		709.82
			20		716.65
			21		716.65
			22		716.65
		3500	23		723.49
			24		730.33
			25		730.33
			16		709.82
17	716.65				
18	716.65				
19	716.65				
20	723.49				
21	730.33				
22	730.33				
23	730.33				
24	702.98				
25	730.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China  
Tel: 0086-731-88787781  
FAX: 0086-731-84788292  
Enquiry Us: info@hu-steel.com  
Web: www.hu-steel.com