



**HUSTEEL INDUSTRY GROUP**  
**HUNAN STANDARD STEEL CO.,LTD**

**SSAW STEEL PIPE STOCK LIST**

**SAW/SAWH/SAWL STEEL PIPE**

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/12000	443.32	377	10	5800/12000	486.65
			7		443.32		11		486.65
			8		477.51		12		493.49
			9		477.51		13		493.49
		273	6		443.32	406.4	6		433.32
			7		443.32		7		433.32
			8		477.51		8		467.51
			9		477.51		9		467.51
			10		496.65		10		486.65
		323.9	6		443.32	426	11		486.65
			7		443.32		12		493.49
			8		477.51		13		493.49
			9		477.51		6		433.32
			10		496.65		7		433.32
			11		496.65		8		467.51
		325	9		503.49	457	9		467.51
			6		443.32		10		486.65
			7		443.32		11		486.65
			8		477.51		12		493.49
			9		477.51		13		493.49
			10		496.65		6		433.32
		355.6	11		496.65	478	7		433.32
			12		503.49		8		467.51
			6		443.32		9		467.51
			7		443.32		10		493.49
			8		477.51		11		493.49
			9		477.51		12		493.49
		377	10		496.65	478	6		433.32
			11		496.65		7		433.32
			12		503.49		8		467.51
		377	6		443.32	478	9		467.51
			7		443.32		10		467.51
			9		477.51		10		467.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/12000	469.30	711	13	5800/12000	472.98
			12		476.14		14		479.92
			13		476.14		15		479.92
		508	6		448.79	16	479.92		
			7		469.30	6	438.79		
			8		476.14	7	459.3		
			9		477.51	8	466.14		
			10		482.98	9	467.51		
			11		482.98	10	472.98		
			12		482.98	11	472.98		
		529	13		489.82	12	472.98		
			14		489.82	13	479.82		
			6		448.79	14	479.82		
			7		469.30	15	491.25		
			8		476.14	16	491.25		
			9		477.51	7	438.79		
			10		482.98	8	459.3		
		630	11		482.98	9	466.14		
			12		482.98	10	467.51		
			13		489.82	11	472.98		
			14		489.82	12	472.98		
			6		448.79	13	479.92		
			7		469.30	14	479.92		
			8		476.14	15	491.25		
		711	9		477.51	16	491.25		
			10		482.98	17	500.33		
			11		482.98	18	459.3		
			12		482.98	7	466.14		
			13		489.82	8	467.51		
			14		489.82	9	472.98		
			15		496.65	10	472.98		
		820	6		448.79	11	472.98		
			7		469.30	12	479.82		
			8		476.14	13	479.82		
			9		477.51	14	479.82		
			10		482.98	15	491.25		
			11		482.98	16	491.25		
					12	489.82	17		500.33

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/12000	503.49	1420	11	5800/12000	459.39
		920	8		448.79		12		466.14
			9		469.30		13		467.51
			10		476.14		14		472.98
			11		477.51		15		472.98
			12		482.98		16		472.98
			13		482.98		17		479.82
			14		489.82		18		479.82
			15		489.82		19		491.25
			16		489.82		20		491.25
			17		489.82		11		466.14
		1020	18		496.65		12		467.51
			8		469.30		13		472.98
			9		476.14		14		472.98
			10		477.51		15		472.98
			11		482.98		16		479.82
			12		482.98		17		479.82
			13		489.82		18		491.25
			14		489.82		19		491.25
			15		489.82		20		500.49
			16		489.82		12		467.51
		1220	17		496.65		13		472.98
			18		496.65		14		472.98
			19		496.65		15		472.98
			20		503.49		16		479.82
			8		469.30		17		479.82
			9		476.14		18		491.25
			10		477.51		19		491.25
			11		482.98		20		500.49
			12		482.98		13		467.51
			1420		13		489.82		14
		14			489.82		15		472.89
15	489.82	16		472.89					
16	489.82	17		479.82					
17	496.65	18		479.82					
18	496.65	19		491.25					
19	496.65	20		491.25					
20	503.49	13		500.49					
10	482.98	14		505.58					

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/12000	469.39
			16		476.14
			17		477.51
			18		482.98
			19		482.98
			20		489.82
		2500	14		482.98
			15		489.82
			16		489.82
			17		489.82
			18		489.82
			19		496.65
			20		496.65
			21		496.65
			22		503.49
			23		510.33
		2540	24		510.33
			25		510.33
			15		482.98
			16		489.82
			17		489.82
			18		489.82
			19		489.82
			20		496.65
			21		496.65
			22		496.65
		3500	23		503.49
			24		510.33
			25		510.33
			16		489.82
17	496.65				
18	496.65				
19	496.65				
20	503.49				
21	510.33				
22	510.33				
23	510.33				
24	482.98				
25	510.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China  
Tel: 0086-731-88787781  
FAX: 0086-731-84788292  
Enquiry Us: info@hu-steel.com  
Web: www.hu-steel.com