



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/11800	703.32	377	10	5800/11800	716.65
			7		703.32		11		716.65
			8		737.51		12		723.49
			9		737.51		13		723.49
		273	6		703.32	406.4	6		663.32
			7		703.32		7		663.32
			8		737.51		8		697.51
			9		737.51		9		697.51
			10		756.65		10		716.65
		323.9	6		703.32	426	11		716.65
			7		703.32		12		723.49
			8		737.51		13		723.49
			9		737.51		6		663.32
			10		756.65		7		663.32
			11		756.65		8		697.51
			12		763.49		9		697.51
		325	6		703.32	457	10		716.65
			7		703.32		11		716.65
			8		737.51		12		723.49
			9		737.51		13		723.49
			10		756.65		6		663.32
			11		756.65		7		663.32
		355.6	12		763.49		8		697.51
			6		703.32		9		697.51
			7		703.32		10		716.65
			8		737.51		11		716.65
			9		737.51		12		723.49
			10		756.65		13		723.49
		377	11		756.65	478	6		663.32
			12		763.49		7		663.32
			6		703.32		8		697.51
			7		703.32		9		697.51
			9		737.51		10		697.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/11800	729.30	711	13	5800/11800	702.98
			12		736.14		14		709.92
			13		736.14		15		709.92
		508	6		708.79	720	16		709.92
			7		729.30		6		668.79
			8		736.14		7		689.3
			9		737.51		8		696.14
			10		742.98		9		697.51
			11		742.98		10		702.98
			12		742.98		11		702.98
			13		749.82		12		702.98
			14		749.82		13		709.82
		529	6		708.79	813	14		709.82
			7		729.30		15		721.25
			8		736.14		16		721.25
			9		737.51		7		668.79
			10		742.98		8		689.3
			11		742.98		9		696.14
			12		742.98		10		697.51
			13		749.82		11		702.98
			14		749.82		12		702.98
		630	6		708.79	820	13		709.92
			7		729.30		14		709.92
			8		736.14		15		721.25
			9		737.51		16		721.25
			10		742.98		17		730.33
			11		742.98		18		689.3
			12		742.98		7		696.14
			13		749.82		8		697.51
			14		749.82		9		702.98
			15		756.65		10		702.98
		711	6		708.79		11		702.98
			7		729.30		12		709.82
			8		736.14		13		709.82
			9		737.51		14		709.82
			10		742.98		15		721.25
			11		742.98		16		721.25
			12		749.82		17		730.33

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/11800	763.49	1420	11	5800/11800	689.39
		920	8		708.79		12		696.14
			9		729.30		13		697.51
			10		736.14		14		702.98
			11		737.51		15		702.98
			12		742.98		16		702.98
			13		742.98		17		709.82
			14		749.82		18		709.82
			15		749.82		19		721.25
			16		749.82		20		721.25
			17		749.82	1620	11		696.14
		1020	18		756.65		12		697.51
			8		729.30		13		702.98
			9		736.14		14		702.98
			10		737.51		15		702.98
			11		742.98		16		709.82
			12		742.98		17		709.82
			13		749.82		18		721.25
			14		749.82		19		721.25
			15		749.82		20		730.49
			16		749.82	1820	12		697.51
		1220	17		756.65		13		702.98
			18		756.65		14		702.98
			19		756.65		15		702.98
			20		763.49		16		709.82
			8		729.30		17		709.82
			9		736.14		18		721.25
			10		737.51		19		721.25
			11		742.98		20		730.49
			12		742.98	2020	13		697.51
			13		749.82		14		702.89
			14		749.82		15		702.89
			15		749.82		16		702.89
			16		749.82		17		709.82
			17		756.65		18		709.82
			18		756.65		19		721.25
			19		756.65		20		721.25
			20		763.49	2220	13		730.49
		1420	10		742.98		14		735.58

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/11800	729.39
			16		736.14
			17		737.51
			18		742.98
			19		742.98
			20		749.82
		2500	14		742.98
			15		749.82
			16		749.82
			17		749.82
			18		749.82
			19		756.65
			20		756.65
			21		756.65
			22		763.49
			23		770.33
			24		770.33
			25		770.33
		2540	15		742.98
			16		749.82
			17		749.82
			18		749.82
			19		749.82
			20		756.65
			21		756.65
			22		756.65
			23		763.49
			24		770.33
			25		770.33
		3500	16		749.82
			17		756.65
			18		756.65
			19		756.65
			20		763.49
			21		770.33
			22		770.33
			23		770.33
			24		742.98
			25		770.33

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan
.China

Tel: 0086-731-88787781

FAX: 0086-731-84788292

Enquiry Us: info@hu-steel.com

Web: www.hu-steel.com