



Hunan Standard Steel Co.,Ltd ERW Steel Pipe Inventory

Warehouse 1				Warehouse 2			
Grade	Size (OD*WT*Lth)	Pcs	Tons	Grade	Size (OD*WT*Lth)	Pcs	Tons
API5L GR.B	141*6.25*6	190	23.68	API5L GR.B	114.3*6.02	3	0.58
API5L GR.B	141*7.75*6	11	1.68	API5L GR.B	114*6.02*6	1	0.01
API5L GR.B	168*5.0*12	71	17.13	API5L GR.B	141*6.1*6	100	12.18
API5L GR.B	168*5.0*6	572	68.99	API5L GR.B	168*6.6*6	2	0.32
API5L GR.B	168*6.25*12	51	15.26	API5L GR.B	168*6.75*12	34	10.95
API5L GR.B	219*3.75*6	1	0.12	API5L GR.B	168*6.9*6	100	16.45
API5L GR.B	219*4.5	3	0.86	API5L GR.B	219*7.50	28	13.15
API5L GR.B	219*4.5*5.8	1506	207.96	API5L GR.B	219*7.75	2	0.97
API5L GR.B	219*4.75	8	2.41	API5L GR.B	273*4.75*6	14	2.64
API5L GR.B	219*4.75*6	8	1.20	API5L GR.B	273*4.8*6	140	26.67
API5L GR.B	219*4.8*12	3	0.91	API5L GR.B	273*5.20*5.8	130	25.90
API5L GR.B	219*4.8*6	1	0.15	API5L GR.B	273*5.25*6	56	11.65
API5L GR.B	219*5.00	19	6.02	API5L GR.B	273*5.50*6	219	47.68
API5L GR.B	219*5.00*6	2	0.32	API5L GR.B	273*5.75*6	10	2.27
API5L GR.B	219*5.50	99	34.41	API5L GR.B	273*6.00*6	104	24.66
API5L GR.B	219*5.75	64	23.23	API5L GR.B	273*6.10*6	48	11.57
API5L GR.B	219*5.75*6	7	1.27	API5L GR.B	273*6.30	10	4.97
API5L GR.B	219*6.00	31	11.73	API5L GR.B	273*6.50*8.6	30	11.02
API5L GR.B	219*6.00*6	893	168.89	API5L GR.B	273*6.50*11.8	3	1.51
API5L GR.B	219*6.1	37	14.22	API5L GR.B	273*7.10*6	40	11.18
API5L GR.B	219*6.1*6	1	0.19	API5L GR.B	273*7.50*6	1	0.29
API5L GR.B	219*6.2*6	6	1.17	API5L GR.B	273*8.6*6	233	78.41
API5L GR.B	219*6.50	2	0.82	API5L GR.B	273*8.75*6	220	75.28
API5L GR.B	219*6.75	25	10.60	API5L GR.B	273*8.90*11.95	26	18.01
API5L GR.B	219*6.75*6	2	0.42	API5L GR.B	273*9.1*6	2	0.71
API5L GR.B	219*7.50	115	53.99	API5L GR.B	273*10.50*6	1	0.41
API5L GR.B	219*7.50*6	580	136.16	API5L GR.B	273*11.75	1	0.91
API5L GR.B	219*7.75	41	19.87	API5L GR.B	273*12.00	1	0.93
API5L GR.B	219*7.75*6	8	1.94	API5L GR.B	299*5.75	1	0.50

API5L GR.B	219*8.50	1	0.53	API5L GR.B	325*4.8*6	200	45.49
API5L GR.B	219*8.75	14	7.62	API5L GR.B	325*5.50*6	43	11.18
API5L GR.B	219*8.75*6	3	0.82	API5L GR.B	325*5.75*6	86	23.36
API5L GR.B	219*9.75	78	47.10	API5L GR.B	325*6.00*6	24	6.80
API5L GR.B	219*9.75*6	50	15.10	API5L GR.B	325*6.10*6	142	40.88
API5L GR.B	219*10.50	167	108.21	API5L GR.B	325*6.40	32	19.31
API5L GR.B	219*10.75*6	3	0.99	API5L GR.B	325*6.50*6	7	2.14
API5L GR.B	219*11.75	238	171.54	API5L GR.B	325*6.75*6	41	13.03
API5L GR.B	219*11.75*6	17	6.13	API5L GR.B	325*7.75	2	1.46
API5L GR.B	219*12.25*6	1	0.37	API5L GR.B	325*7.75*6	169	61.49
API5L GR.B	245*5.00	23	8.17	API5L GR.B	325*9.1*6	52	22.12
API5L GR.B	245*5.75	33	13.44	API5L GR.B	325*9.1*6.1	70	30.28
API5L GR.B	245*6.75	57	27.13	API5L GR.B	325*9.50*6	309	137.06
API5L GR.B	245*6.75*6	2	0.48	API5L GR.B	325*9.75*11.7	35	31.05
API5L GR.B	245*7.1	18	9.00	API5L GR.B	325*9.78*11.95	278	252.61
API5L GR.B	245*7.50	63	33.21	API5L GR.B	325*10.75*6	2	1.00
API5L GR.B	245*7.75*6	1	0.27	API5L GR.B	325*12.50*6	10	5.78
API5L GR.B	245*8.75	52	31.82	API5L GR.B	325*12.70	21	24.65
API5L GR.B	245*9.50	11	7.28	API5L GR.B	325*12.75*6	1	0.59
API5L GR.B	245*9.75	105	71.28	API5L GR.B	355*5.75	32	19.02
API5L GR.B	245*10.50	19	13.85	API5L GR.B	355*5.75*5.8	54	15.51
API5L GR.B	245*10.75	64	47.70	API5L GR.B	355*5.75*6	15	4.46
API5L GR.B	245*11.75	85	68.95	API5L GR.B	355*5.8*12	133	79.73
API5L GR.B	245*11.75*6	8	3.24	API5L GR.B	355*5.85*8.6	2	0.87
API5L GR.B	245*12.50	55	47.31	API5L GR.B	355*6.00	5	3.10
API5L GR.B	245*12.75	48	42.07	API5L GR.B	355*6.1	20	12.60
API5L GR.B	245*13.50	15	13.88	API5L GR.B	355*6.1*6	42	13.23
API5L GR.B	245*13.75	14	13.18	API5L GR.B	355*6.25	2	1.29
API5L GR.B	273*4.8*12	86	32.77	API5L GR.B	355*6.30*6	2	0.65
API5L GR.B	273*5.00	14	5.55	API5L GR.B	355*6.50	4	2.68
API5L GR.B	273*5.1	3	1.21	API5L GR.B	355*6.50*6.0	2	0.67
API5L GR.B	273*5.20	23	9.48	API5L GR.B	355*6.75	75	52.18
API5L GR.B	273*5.30	74	31.08	API5L GR.B	355*6.75*6	13	4.52
API5L GR.B	273*5.50	180	78.38	API5L GR.B	355*7.1	16	11.70
API5L GR.B	273*5.75	188	85.51	API5L GR.B	355*7.4	6	4.57
API5L GR.B	273*5.75*5.8	669	147.07	API5L GR.B	355*7.75	49	39.03

API5L GR.B	273*5.8*12	5	2.29	API5L GR.B	355*7.75*6	56	22.30
API5L GR.B	273*6.00	31	14.70	API5L GR.B	355*8.2	5	4.21
API5L GR.B	273*6.10	341	164.32	API5L GR.B	355*8.6	6	5.29
API5L GR.B	273*6.25	3	1.48	API5L GR.B	355*8.75	23	20.62
API5L GR.B	273*6.25*6	1	0.25	API5L GR.B	355*9.10	137	127.64
API5L GR.B	273*6.30	30	14.92	API5L GR.B	355*9.50	1	0.97
API5L GR.B	273*6.30*6	1	0.25	API5L GR.B	355*9.75	3	2.99
API5L GR.B	273*6.40*6	6	1.52	API5L GR.B	355*10.20	18	18.74
API5L GR.B	273*6.50	55	28.20	API5L GR.B	355*10.20*6	18	9.37
API5L GR.B	273*6.50*6	6	1.54	API5L GR.B	355*10.3*12	5	5.25
API5L GR.B	273*6.75	48	25.53	API5L GR.B	355*10.50*6	2	1.07
API5L GR.B	273*6.75*6	17	4.52	API5L GR.B	355*10.75	18	19.72
API5L GR.B	273*6.9*12	4	2.17	API5L GR.B	355*11.75	24	28.65
API5L GR.B	273*6.9*6	16	4.35	API5L GR.B	355*12.75	11	14.21
API5L GR.B	273*7.10	10	5.59	API5L GR.B	377*5.75	23	14.53
API5L GR.B	273*7.10*6	17	4.75	API5L GR.B	377*6.1	3	2.01
API5L GR.B	273*7.2*12	5	2.83	API5L GR.B	377*6.25	3	2.06
API5L GR.B	273*7.3*12	70	40.19	API5L GR.B	377*6.50	67	47.76
API5L GR.B	273*7.40	16	9.31	API5L GR.B	377*7.1	24	18.66
API5L GR.B	273*7.40*6	9	2.62	API5L GR.B	377*7.50	2	1.64
API5L GR.B	273*7.50	16	9.43	API5L GR.B	377*7.75	10	8.47
API5L GR.B	273*7.50*6	11	3.24	API5L GR.B	377*8.75	2	1.91
API5L GR.B	273*7.75	206	125.34	API5L GR.B	377*9.50	6	6.20
API5L GR.B	273*7.75*6	56	17.04	API5L GR.B	377*9.75	13	13.78
API5L GR.B	273*7.9	1	0.62	API5L GR.B	377*10.50	42	47.84
API5L GR.B	273*8.4	40	26.31	API5L GR.B	377*10.75	41	47.78
API5L GR.B	273*8.4*6	17	5.59	API5L GR.B	377*11.75	19	24.13
API5L GR.B	273*8.50	189	125.77	API5L GR.B	377*12.50	1	1.35
API5L GR.B	273*8.50*6	1	0.33	API5L GR.B	377*12.75	2	2.75
API5L GR.B	273*8.6*12	15	10.10	API5L GR.B	377*13.75	6	8.87
API5L GR.B	273*8.75	71	48.59	API5L GR.B	406*5.00	31	18.40
API5L GR.B	273*8.90	205	142.62	API5L GR.B	406*5.50	2	1.30
API5L GR.B	273*8.90*6	56	19.48	API5L GR.B	406*5.75	168	114.44
API5L GR.B	273*9.1	18	12.79	API5L GR.B	406*6.1	231	166.79
API5L GR.B	273*9.1*6	1	0.36	API5L GR.B	406*6.10*6	112	40.43
API5L GR.B	273*9.50	8	5.93	API5L GR.B	406*6.50	6	4.61

API5L GR.B	273*9.50*6	1	0.37	API5L GR.B	406*6.75	38	30.31
API5L GR.B	273*9.75	54	41.02	API5L GR.B	406*7.50	2	1.77
API5L GR.B	273*9.75*6	25	9.50	API5L GR.B	406*7.50*5.98	25	11.02
API5L GR.B	273*10.50	18	14.68	API5L GR.B	406*7.50*6	69	30.52
API5L GR.B	273*10.50*6	27	11.01	API5L GR.B	406*7.50*11.96	25	22.04
API5L GR.B	273*10.75	11	9.18	API5L GR.B	406*7.75	183	167.18
API5L GR.B	273*10.75*6	4	1.67	API5L GR.B	406*7.75*11.9	1	0.91
API5L GR.B	273*11.50	1	0.89	API5L GR.B	406*8.25	5	4.86
API5L GR.B	273*11.50*6	6	2.67	API5L GR.B	406*8.50	33	33.00
API5L GR.B	273*11.75	27	24.53	API5L GR.B	406*8.75	44	45.27
API5L GR.B	273*11.75*6	29	13.17	API5L GR.B	406*8.75*5.8	25	12.43
API5L GR.B	273*12.25	1	0.95	API5L GR.B	406*9.10	49	52.38
API5L GR.B	273*12.50	32	30.84	API5L GR.B	406*9.75	142	162.38
API5L GR.B	273*12.50*6	15	7.23	API5L GR.B	406*10.50	58	71.29
API5L GR.B	273*12.7*6	6	2.94	API5L GR.B	406*10.75	72	90.55
API5L GR.B	273*12.75	18	17.68	API5L GR.B	406*11.50	9	12.09
API5L GR.B	273*12.75*6	5	2.46	API5L GR.B	406*11.75	74	101.46
API5L GR.B	273*13.00*6	2	1.00	API5L GR.B	406*11.98*6	110	76.84
API5L GR.B	273*13.75	4	4.22	API5L GR.B	406*12.2*6	1	0.71
API5L GR.B	273*13.75*6	32	16.88	API5L GR.B	406*12.3	3	4.30
API5L GR.B	299*5.75	10	4.99	API5L GR.B	406*12.5	87	126.66
API5L GR.B	299*6.75	15	8.76	API5L GR.B	406*12.75	86	127.63
API5L GR.B	299*7.75	41	27.39	API5L GR.B	406*13.50	4	6.27
API5L GR.B	299*7.75*6	2	0.67	API5L GR.B	406*13.75	15	23.95
API5L GR.B	299*8.50	4	2.92	API5L GR.B	406*14.75	11	18.79
API5L GR.B	299*8.75	7	5.26	API5L GR.B	406*15	7	12.15
API5L GR.B	299*9.50	1	0.81	API5L GR.B	406*15*6	1	0.87
API5L GR.B	299*9.75	306	255.43	API5L GR.B	426*5.75	7	5.01
API5L GR.B	299*10.2	3	2.62	API5L GR.B	426*6.50	4	3.23
API5L GR.B	299*10.50	226	202.63	API5L GR.B	426*6.75	13	10.89
API5L GR.B	299*10.75	19	17.43	API5L GR.B	426*7.75	9	8.63
API5L GR.B	299*11.75	49	48.95	API5L GR.B	426*8.75	49	52.95
API5L GR.B	299*12.00	1	1.02	API5L GR.B	426*9.75	11	13.21
API5L GR.B	325*4.75	15	6.75	API5L GR.B	426*10.50	58	74.89
API5L GR.B	325*4.8	151	68.69	API5L GR.B	426*11.75	12	17.29
API5L GR.B	325*5.00*6	8	1.89	API5L GR.B	426*12.50	1	1.53

API5L GR.B	325*5.25	3	1.49	API5L GR.B	426*12.75	4	6.24
API5L GR.B	325*5.50	27	14.04	API5L GR.B	457*5.75	52	39.93
API5L GR.B	325*5.75	60	32.60	API5L GR.B	457*6.1	215	175.03
API5L GR.B	325*5.75*11.00	1	0.50	API5L GR.B	457*6.75	28	25.19
API5L GR.B	325*5.75*11.50	18	9.37	API5L GR.B	457*7.25	1	0.97
API5L GR.B	325*5.8*12	46	25.21	API5L GR.B	457*7.75	182	187.55
API5L GR.B	325*6.00	127	71.95	API5L GR.B	457*8.00	4	4.25
API5L GR.B	325*6.10*12	116	66.79	API5L GR.B	457*8.1	4	4.30
API5L GR.B	325*6.10*11.50	5	2.76	API5L GR.B	457*8.50	1	1.13
API5L GR.B	325*6.25	34	20.05	API5L GR.B	457*8.75	28	32.51
API5L GR.B	325*6.3*12	5	2.97	API5L GR.B	457*8.75*6	27	15.67
API5L GR.B	325*6.3*6	1	0.30	API5L GR.B	457*9.10	185	223.18
API5L GR.B	325*6.50	16	9.80	API5L GR.B	457*9.10*11.98	1	1.20
API5L GR.B	325*6.75	141	89.65	API5L GR.B	457*9.75	87	112.29
API5L GR.B	325*6.8	860	550.77	API5L GR.B	457*9.75*6	1	0.65
API5L GR.B	325*6.8*6	12	3.84	API5L GR.B	457*10.50	23	31.92
API5L GR.B	325*6.85	14	9.03	API5L GR.B	457*10.75	6	8.52
API5L GR.B	325*6.9*12	1069	694.47	API5L GR.B	457*11.50	20	30.33
API5L GR.B	325*7.00	5	3.29	API5L GR.B	457*11.75	1	1.55
API5L GR.B	325*7.10	6	4.01	API5L GR.B	457*11.9*12	17	26.65
API5L GR.B	325*7.10*6	6	2.00	API5L GR.B	457*11.95*12	15	23.61
API5L GR.B	325*7.20	4	2.71	API5L GR.B	457*12.2	3	4.82
API5L GR.B	325*7.50	10	7.05	API5L GR.B	457*12.2*6	15	12.05
API5L GR.B	325*7.75	231	168.10	API5L GR.B	457*12.50	2	3.29
API5L GR.B	325*7.75*11.50	9	6.28	API5L GR.B	457*12.7	26	43.42
API5L GR.B	325*8.25*11.50	2	1.48	API5L GR.B	457*12.7*6	9	7.52
API5L GR.B	325*8.50	8	6.37	API5L GR.B	457*12.75	47	78.80
API5L GR.B	325*8.6*12	96	77.32	API5L GR.B	457*13.75	55	99.22
API5L GR.B	325*8.75	31	25.39	API5L GR.B	457*13.75*6	21	18.94
API5L GR.B	325*8.75*6	6	2.46	API5L GR.B	457*14.00	1	1.84
API5L GR.B	325*8.75*11.5	2	1.57	API5L GR.B	457*14.50	9	17.09
API5L GR.B	325*8.9*12	40	33.31	API5L GR.B	457*14.75	21	40.55
API5L GR.B	325*9.00	153	128.79	API5L GR.B	457*15.75	3	6.17
API5L GR.B	325*9.1	59	50.20	API5L GR.B	457*17.50	1	2.28
API5L GR.B	325*9.30*12	31	26.94	API5L GR.B	457*17.75	2	4.62
API5L GR.B	325*9.50	99	87.83	API5L GR.B	457*19.00	1	2.46

API5L GR.B	325*9.7	4	3.62	API5L GR.B	478*7.75	15	16.18
API5L GR.B	325*9.75	181	164.67	API5L GR.B	478*8.50	12	14.17
API5L GR.B	325*9.75*6	166	75.51	API5L GR.B	478*8.75	11	13.37
API5L GR.B	325*9.75*11.5	9	7.85	API5L GR.B	478*9.50	6	7.90
API5L GR.B	325*9.78	14	12.77	API5L GR.B	478*9.75	42	56.75
API5L GR.B	325*9.78*6	9	4.11	API5L GR.B	478*10.50	15	21.79
API5L GR.B	325*9.78*11.95	70	63.61	API5L GR.B	478*10.75	55	81.77
API5L GR.B	325*9.8*12	13	11.89	API5L GR.B	478*11.75	56	90.80
API5L GR.B	325*10.00	7	6.53	API5L GR.B	478*12.75	33	57.94
API5L GR.B	325*10.50	101	98.72	API5L GR.B	478*13.75	5	9.45
API5L GR.B	325*10.50*6	3	1.47	API5L GR.B	478*14.50	37	73.60
API5L GR.B	325*10.75	17	17.00	API5L GR.B	478*15.50	1	2.12
API5L GR.B	325*11.50	5	5.34	API5L GR.B	478*15.75	1	2.15
API5L GR.B	325*11.50*6	33	17.61	API5L GR.B	478*17.50	67	159.81
API5L GR.B	325*11.75	36	39.22	API5L GR.B	478*17.75	1	2.42
API5L GR.B	325*12.2	2	2.26	API5L GR.B	508*5.75	1	0.85
API5L GR.B	325*12.3*6	5	2.85	API5L GR.B	508*6.00	1	0.89
API5L GR.B	325*12.50	4	4.62	API5L GR.B	508*6.1	136	123.24
API5L GR.B	325*12.75	149	175.58	API5L GR.B	508*6.1*6	1	0.45
API5L GR.B	325*12.75*11.20	1	1.10	API5L GR.B	508*6.2	1	0.92
API5L GR.B	325*13.75	53	67.14	API5L GR.B	508*6.2*6	1	0.46
API5L GR.B	325*13.75*6	5	3.17	API5L GR.B	508*6.50	6	5.79
API5L GR.B	355*5.00	6	3.11	API5L GR.B	508*6.75	1	1.00
API5L GR.B	355*5.50	4	2.28	API5L GR.B	508*7.10	43	45.26
API5L GR.B	355*5.5*6	3	0.85	API5L GR.B	508*7.20*6	1	0.53
API5L GR.B	355*5.75	48	28.53	API5L GR.B	508*7.50*5.98	77	42.63
API5L GR.B	355*5.75*5.8	789	226.67	API5L GR.B	508*7.75	15	17.21
API5L GR.B	355*5.8*6	23	6.89	API5L GR.B	508*7.75*6	2	1.15
API5L GR.B	355*6.00	9	5.58	API5L GR.B	508*8.50	18	22.62
API5L GR.B	355*6.1	133	83.78	API5L GR.B	508*8.75	67	86.63
API5L GR.B	355*6.1*7.5	1	0.39	API5L GR.B	508*8.75*5.8	49	30.62
API5L GR.B	355*6.30	38	24.71	API5L GR.B	508*8.75*6	60	38.79
API5L GR.B	355*6.4	1	0.66	API5L GR.B	508*9	14	18.61
API5L GR.B	355*6.50	37	24.81	API5L GR.B	508*9.10	508	682.63
API5L GR.B	355*6.75	91	63.31	API5L GR.B	508*9.1*6	51	34.27
API5L GR.B	355*7.00	5	3.61	API5L GR.B	508*9.1*6.1	12	8.20

API5L GR.B	355*7.1	9	6.58	API5L GR.B	508*9.1*8.6	2	1.93
API5L GR.B	355*7.1*6	5	1.83	API5L GR.B	508*9.1*11.95	1	1.34
API5L GR.B	355*7.25	8	5.97	API5L GR.B	508*9.2	2	2.72
API5L GR.B	355*7.25*6	6	2.24	API5L GR.B	508*9.3	1	1.37
API5L GR.B	355*7.50	6	4.63	API5L GR.B	508*9.5	127	178.02
API5L GR.B	355*7.75	321	255.69	API5L GR.B	508*9.75	47	67.58
API5L GR.B	355*7.75*6	51	20.31	API5L GR.B	508*10.00	24	35.38
API5L GR.B	355*8.00	2	1.64	API5L GR.B	508*10.75	49	77.53
API5L GR.B	355*8.2	3	2.53	API5L GR.B	508*11.25	1	1.65
API5L GR.B	355*8.25	4	3.39	API5L GR.B	508*11.75	100	172.58
API5L GR.B	355*8.3	3	2.56	API5L GR.B	508*11.75*6	4	3.45
API5L GR.B	355*8.50	4	3.49	API5L GR.B	508*11.90	1	1.75
API5L GR.B	355*8.50*6	2	0.87	API5L GR.B	508*12.1	1	1.78
API5L GR.B	355*8.6	6	5.29	API5L GR.B	508*12.2	26	46.55
API5L GR.B	355*8.75	17	15.24	API5L GR.B	508*12.2*10.35	45	69.49
API5L GR.B	355*9.00	10	9.22	API5L GR.B	508*12.2*10.60	31	49.02
API5L GR.B	355*9.10	49	45.65	API5L GR.B	508*12.3	10	18.05
API5L GR.B	355*9.20	4	3.77	API5L GR.B	508*12.3*6	3	2.71
API5L GR.B	355*9.3	2	1.90	API5L GR.B	508*12.50	30	55.00
API5L GR.B	355*9.50*6	1	0.49	API5L GR.B	508*12.70	63	117.29
API5L GR.B	355*9.53	1	0.97	API5L GR.B	508*13.50*6	5	4.94
API5L GR.B	355*9.75	35	34.87	API5L GR.B	508*13.75	3	6.03
API5L GR.B	355*9.75*6	7	3.49	API5L GR.B	508*14.25	15	31.24
API5L GR.B	355*10.00	9	9.19	API5L GR.B	508*14.35*11.95	67	139.89
API5L GR.B	355*10.20	108	112.42	API5L GR.B	508*14.50	1	2.12
API5L GR.B	355*10.50*6	2	1.07	API5L GR.B	508*14.50*11.5	12	24.36
API5L GR.B	355*10.6*6	2	1.08	API5L GR.B	508*14.75	3	6.46
API5L GR.B	355*10.75	43	47.10	API5L GR.B	508*15.75	10	22.95
API5L GR.B	355*11.00	1	1.12	API5L GR.B	508*18.50	1	2.68
API5L GR.B	355*11.75	50	59.69	API5L GR.B	508*18.50*6	2	2.68
API5L GR.B	355*11.75*6	40	23.87	API5L GR.B	508*18.75	1	2.72
API5L GR.B	355*11.75*10.2	1	1.01	API5L GR.B	529*7.75	2	2.39
API5L GR.B	355*12.70	28	36.03	API5L GR.B	529*8.75	1	1.35
API5L GR.B	355*12.70*6	2	1.29	API5L GR.B	529*9.00	5	6.93
API5L GR.B	355*12.75	58	74.91	API5L GR.B	529*9.75	3	4.50
API5L GR.B	355*12.75*6	2	1.29	API5L GR.B	529*10.75	1	1.65

API5L GR.B	355*13.00	1	1.32	API5L GR.B	529*11.75	1	1.80
API5L GR.B	355*13.75	3	4.17	API5L GR.B	529*12.50	1	1.91
API5L GR.B	355*14.5*6	11	8.04	API5L GR.B	529*12.75	5	9.74
API5L GR.B	355*14.75	1	1.49	API5L GR.B	529*13.75	2	4.19
API5L GR.B	377*7.1*6	4	1.55	API5L GR.B	529*14.75	38	85.31
API5L GR.B	406*5.25*6	1	0.31	API5L GR.B	559*8.50	31	42.93
API5L GR.B	406*6.50*6	1	0.38	API5L GR.B	559*8.75	3	4.28
API5L GR.B	406*7.50	48	42.46	API5L GR.B	559*10.75	2	3.49
API5L GR.B	406*7.50*5.8	15	6.41	API5L GR.B	559*14.75	2	4.75
API5L GR.B	406*7.50*11.80	27	23.49	API5L GR.B	560*6.1	7	7.00
API5L GR.B	406*7.60*12	190	170.27	API5L GR.B	560*6.75	29	32.05
API5L GR.B	406*7.75	67	61.21	API5L GR.B	560*7.75	51	64.61
API5L GR.B	406*7.75*11.8	27	24.25	API5L GR.B	560*8.5	8	11.10
API5L GR.B	406*8.50	8	8.00	API5L GR.B	560*9.0	8	11.74
API5L GR.B	406*8.50*5.96	48	23.84	API5L GR.B	560*9.1	37	54.90
API5L GR.B	406*8.75*6	8	4.12	API5L GR.B	560*9.5	1	1.55
API5L GR.B	406*9.10	47	50.24	API5L GR.B	560*9.75	67	106.39
API5L GR.B	406*9.10*9.556	1	0.85	API5L GR.B	560*10.5	25	42.69
API5L GR.B	406*9.50	4	4.46	API5L GR.B	560*11.75*12	15	28.60
API5L GR.B	406*9.50*11.6	1	1.08	API5L GR.B	560*12.7	54	111.09
API5L GR.B	406*9.75*6	21	12.01	API5L GR.B	560*12.7*6	31	31.89
API5L GR.B	406*9.75*11.5	1	1.10	API5L GR.B	560*12.75	3	6.20
API5L GR.B	406*11.75	1	1.37	API5L GR.B	560*13.5	4	8.73
API5L GR.B	406*11.75*6	5	3.43	API5L GR.B	560*13.75	3	6.67
API5L GR.B	406*11.8*12	22	30.29	API5L GR.B	610*5.75	1	1.03
API5L GR.B	406*12.3*6	3	2.15	API5L GR.B	610*6.1	350	381.62
API5L GR.B	406*12.5*6	3	2.18	API5L GR.B	610*6.1*6	14	7.63
API5L GR.B	406*12.75*6	16	11.87	API5L GR.B	610*6.75	2	2.41
API5L GR.B	406*14.5*6	5	4.20	API5L GR.B	610*7.1	55	69.68
API5L GR.B	406*15*6	1	0.87	API5L GR.B	610*7.2	3	3.85
API5L GR.B	426*10.75	3	3.96	API5L GR.B	610*7.50	2	2.67
API5L GR.B	426*11.50*6	1	0.71	API5L GR.B	610*7.75	87	120.19
API5L GR.B	457*5.70*6	1	0.38	API5L GR.B	610*8.00	2	2.85
API5L GR.B	457*6.1	1	0.81	API5L GR.B	610*8.50	37	55.99
API5L GR.B	457*6.1*6	17	6.92	API5L GR.B	610*8.6	1	1.53
API5L GR.B	457*6.50*6	1	0.43	API5L GR.B	610*8.7	1	1.55

API5L GR.B	457*7.75	84	86.56	API5L GR.B	610*8.75	55	85.64
API5L GR.B	457*8.75	21	24.38	API5L GR.B	610*8.75*10.5	10	13.62
API5L GR.B	457*8.75*11.95	20	23.12	API5L GR.B	610*8.75*11.95	8	12.41
API5L GR.B	457*9.10	65	78.42	API5L GR.B	610*9.00	8	12.81
API5L GR.B	457*9.75	3	3.87	API5L GR.B	610*9.00*6	1	0.80
API5L GR.B	457*9.75*6	17	10.97	API5L GR.B	610*9.1	505	817.33
API5L GR.B	457*10.50	3	4.16	API5L GR.B	610*9.15	235	382.40
API5L GR.B	457*10.6*6	8	5.60	API5L GR.B	610*9.3	2	3.31
API5L GR.B	457*11.75	22	34.07	API5L GR.B	610*9.50	7	11.82
API5L GR.B	457*12.2*6	1	0.80	API5L GR.B	610*9.75	124	214.79
API5L GR.B	457*12.50*6	4	3.29	API5L GR.B	610*10.25	1	1.82
API5L GR.B	457*12.7	114	190.39	API5L GR.B	610*10.75	9	17.16
API5L GR.B	457*13.50*6	2	1.77	API5L GR.B	610*11.00	3	5.85
API5L GR.B	457*13.75	88	158.74	API5L GR.B	610*11.25	37	73.77
API5L GR.B	457*14.75*6	1	0.97	API5L GR.B	610*11.75	18	37.45
API5L GR.B	457*18.75*6	3	3.65	API5L GR.B	610*11.75*6	2	2.08
API5L GR.B	478*11.75*6	1	0.81	API5L GR.B	610*11.90	5	10.53
API5L GR.B	508*6.1	20	18.12	API5L GR.B	610*12.00	5	10.62
API5L GR.B	508*6.1*6.1	60	27.64	API5L GR.B	610*12.2	13	28.06
API5L GR.B	508*7.10*6	1	0.53	API5L GR.B	610*12.3	8	17.41
API5L GR.B	508*7.75	28	32.13	API5L GR.B	610*12.50	40	88.42
API5L GR.B	508*7.75*11.8	20	22.57	API5L GR.B	610*12.7	27	60.62
API5L GR.B	508*8.75*5.8	2	1.25	API5L GR.B	610*12.75	26	58.60
API5L GR.B	508*9.10	111	149.16	API5L GR.B	610*13.75	6	14.56
API5L GR.B	508*9.1*6.1	37	25.27	API5L GR.B	610*14.50	2	5.11
API5L GR.B	508*9.5	1	1.40	API5L GR.B	610*15.00	2	5.28
API5L GR.B	508*9.75*6	23	16.54	API5L GR.B	610*15.75	13	36.01
API5L GR.B	508*11.75	169	291.67	API5L GR.B	610*15.9*6	1	1.40
API5L GR.B	508*12.2	6	10.74	API5L GR.B	610*16.00	4	11.25
API5L GR.B	508*12.25*6	19	17.08	API5L GR.B	610*16.50	9	26.09
API5L GR.B	508*12.50*6	9	8.25	API5L GR.B	610*17.50	1	3.07
API5L GR.B	508*12.70	9	16.76	API5L GR.B	610*18.00	2	6.31
API5L GR.B	508*12.75*6	4	3.74	API5L GR.B	630*7.75	46	65.66
API5L GR.B	508*13.75*6	5	5.03	API5L GR.B	630*7.75*6	21	14.99
API5L GR.B	508*14.25*6	48	49.98	API5L GR.B	630*8.50	1	1.56
API5L GR.B	508*14.3	25	52.24	API5L GR.B	630*8.75	26	41.83

API5L GR.B	508*14.3*11.95	107	222.66	API5L GR.B	630*9.25	10	17.00
API5L GR.B	508*15.50*6	8	9.04	API5L GR.B	630*9.50	1	1.74
API5L GR.B	560*7.75*6	5	3.17	API5L GR.B	630*9.75	1	1.79
API5L GR.B	560*8.5*6	3	2.08	API5L GR.B	630*12.50	6	13.71
API5L GR.B	560*9.1	1	1.48	API5L GR.B	630*13.75	2	5.02
API5L GR.B	560*9.1*6	4	2.97	API5L GR.B	660*6.1	24	28.33
API5L GR.B	560*11.75*6	4	3.81	API5L GR.B	660*6.5	33	41.49
API5L GR.B	560*12.7	3	6.17	API5L GR.B	660*7.75	9	13.47
API5L GR.B	560*12.7*6	5	5.14	API5L GR.B	660*7.75*5.5	2	1.37
API5L GR.B	560*13.75*6	1	1.11	API5L GR.B	660*8.5	1	1.64
API5L GR.B	610*6.1	11	11.99	API5L GR.B	660*9.5	1	1.83
API5L GR.B	610*6.1*6	2	1.09	API5L GR.B	660*10	62	119.28
API5L GR.B	610*6.1*6.1	1	0.55	API5L GR.B	660*11.75	12	27.05
API5L GR.B	610*6.50	1	1.16	API5L GR.B	660*12.10	3	6.96
API5L GR.B	610*7.50	4	5.35	API5L GR.B	660*12.5	4	9.58
API5L GR.B	610*7.50*6	1	0.67	API5L GR.B	660*12.7	121	294.41
API5L GR.B	610*8.50*6	11	8.32	API5L GR.B	660*13	8	19.92
API5L GR.B	610*8.6	2	3.06	API5L GR.B	660*13.75	1	2.63
API5L GR.B	610*8.6*6	1	0.77	API5L GR.B	660*14.75	20	56.34
API5L GR.B	610*8.75	21	32.70	API5L GR.B	660*15.50	1	2.96
API5L GR.B	610*8.75*6	5	3.89	API5L GR.B	660*16.00	2	6.10
API5L GR.B	610*8.75*16.5	18	38.54	API5L GR.B	660*18.50	1	3.51
API5L GR.B	610*9.00*6	1	0.80	API5L GR.B	660*19.00	2	7.21
API5L GR.B	610*9.1*5.8	11	8.60	S355	245*7.75	1	0.54
API5L GR.B	610*9.1*6	50	40.46	S355	273*4.75	1	0.38
API5L GR.B	610*9.1*11.95	29	46.74	S355	273*5.00	2	0.79
API5L GR.B	610*9.50*6	1	0.84	S355	273*5.50	3	1.31
API5L GR.B	610*9.75	10	17.32	S355	273*5.75	28	12.74
API5L GR.B	610*9.75*6	7	6.06	S355	273*6	3	1.42
API5L GR.B	610*10.75	4	7.63	S355	273*6.2	21	10.28
API5L GR.B	610*11.75*6	28	29.13	S355	273*6.50	26	13.33
API5L GR.B	610*11.75*16.5	18	51.49	S355	273*6.50*11.8	47	23.70
API5L GR.B	610*11.80	4	8.36	S355	273*6.75	39	20.75
API5L GR.B	610*12.00	1	2.12	S355	273*6.9	3	1.63
API5L GR.B	610*12.00*6	8	8.49	S355	273*7.10	3	1.68
API5L GR.B	610*12.1*11.8	9	18.95	S355	273*7.35	1	0.58

API5L GR.B	610*12.2	1	2.16	S355	273*7.75	105	63.89
API5L GR.B	610*12.3*6	11	11.97	S355	273*8.25	16	10.34
API5L GR.B	610*12.50*6	4	4.42	S355	273*8.75	1	0.68
API5L GR.B	610*12.7*6	35	39.29	S355	273*9.1	4	2.84
API5L GR.B	610*12.75	43	96.92	S355	273*9.50	114	84.46
API5L GR.B	610*12.75*6	3	3.38	S355	273*9.75	33	25.07
API5L GR.B	610*13.00	37	84.99	S355	273*10.50	3	2.45
API5L GR.B	610*13.5*6	1	1.19	S355	273*11.75	102	92.67
API5L GR.B	610*13.75	2	4.85	S355	273*12.3	6	5.69
API5L GR.B	610*13.75*6	2	2.43	S355	273*12.50	1	0.96
API5L GR.B	610*14.50*6	2	2.56	S355	273*12.75	12	11.79
API5L GR.B	610*15.50*6	2	2.73	S355	273*13.50	1	1.04
API5L GR.B	610*15.75*6	2	2.77	S355	273*13.75	82	86.52
API5L GR.B	610*15.9	46	128.61	S355	325*4.75	3	1.35
API5L GR.B	610*17.00	25	74.59	S355	325*5.75	66	35.86
API5L GR.B	630*7.75*6	22	15.70	S355	325*6.00	3	1.70
API5L GR.B	630*9.50	1	1.74	S355	325*9.00	11	9.26
API5L GR.B	630*10.75	1	1.97	S355	325*9.75	4	3.64
API5L GR.B	630*11.75	8	17.20	S355	325*11.75	5	5.45
API5L GR.B	660*6.5*6	2	1.26	S355	325*13.75	1	1.27
API5L GR.B	660*7.75*6	16	11.97	S355	355*5.75	88	52.31
API5L GR.B	660*8.5*5.85	2	1.60	S355	355*6.0	27	16.73
API5L GR.B	660*8.75*6	1	0.84	S355	355*6.1	33	20.79
API5L GR.B	660*9.75*6	11	10.32	S355	355*6.2	2	1.28
API5L GR.B	660*11.75*6	3	3.38	S355	355*6.75	6	4.17
API5L GR.B	660*12.25	10	23.49	S355	355*8.2	12	10.10
API5L GR.B	660*12.25*6	4	4.70	S355	355*9.75	3	2.99
API5L GR.B	660*12.3	14	33.01	S355	355*11.75	7	8.36
API5L GR.B	660*12.7*6	7	8.52	S355	355*12.75	1	1.29
API5L GR.B	660*12.7*9	9	16.42	S355	355*14.5	2	2.92
API5L GR.B	660*12.75	40	97.70	S355	406*11.5	10	13.43
API5L GR.B	660*13.75	2	5.26	S355	406*11.75	1	1.37
API5L GR.B	660*15.95	5	15.20	S355	406*14.5*12	4	6.72
API5L GR.B	762*10*12	3	6.68	S355	426*7.75	1	0.96
S355	168*4.5*12	109	23.74	S355	457*7.75	2	2.06
S355	168*4.5*6	2	0.22	S355	457*9.2	58	70.72

S355	219*4.5	39	11.14	S355	457*9.2*17	7	12.09
S355	219*4.5*9	120	25.71	S355	508*12.2	1	1.79
S355	219*4.5*11.8	200	56.19	S355	508*15	1	2.19
S355	219*5.75	130	47.18	S355	610*6.1	3	3.27
S355	219*6.0	38	14.37	S355	610*6.68	11	13.12
S355	219*6.25*12	130	51.16	S355	610*7.4	9	11.88
S355	219*6.25*9	30	8.86	S355	610*9.75	1	1.73
S355	219*6.25*11.8	60	23.22	L245	355*8.1	26	21.62
S355	219*6.75	7	2.97	L245	508*9.75	3	4
S355	219*7.75	26	12.60	L245	508*11.75	9	15.53
S355	219*8.9	65	35.97	X52	355*7.10	2	1.46
S355	219*9.75	36	21.74	API5L GR.B	141*3.3*6	550	36.99
S355	219*11.75	19	13.69	API5L GR.B	141*4.3*6	388	33.75
S355	245*5.75	8	3.26	API5L GR.B	141*6.1*6	660	80.37
S355	245*6.75	6	2.86	API5L GR.B	141*6.25*6	610	76.03
S355	245*7.75	7	3.81	API5L GR.B	141*7.75*6	256	39.12
S355	245*8.50	3	1.78	API5L GR.B	168*4.2*6	550	56.00
S355	245*8.75	5	3.06	API5L GR.B	168*6.6*12	45	14.19
S355	245*9.75	18	12.22	API5L GR.B	168*6.6*6	366	57.70
S355	245*10.75	4	2.98	API5L GR.B	168*6.75*12	54	17.40
S355	245*11.75	12	9.73	API5L GR.B	168*6.75*6	14	2.26
S355	245*12.50	39	33.55	API5L GR.B	168*6.9*6	193	31.75
S355	245*12.75	28	24.54	API5L GR.B	168*7.75*12	47	17.28
S355	245*13.75	39	36.70	API5L GR.B	168*7.75*6	282	51.83
S355	273*6.10	1	0.48	API5L GR.B	219*3.75	125	29.86
S355	273*6.50	2	1.03	API5L GR.B	219*6.75*11.8	1	0.42
S355	273*6.75	2	1.06	API5L GR.B	219*7.50*6	180	42.26
S355	273*9.75	5	3.80	API5L GR.B	219*7.75	31	15.02
S355	273*11.75	7	6.36	API5L GR.B	219*7.75*6	8	1.94
S355	273*12.50	9	8.67	API5L GR.B	219*8.00*12	6	3.00
S355	273*13.75	7	7.39	API5L GR.B	219*8.00*11.95	1	0.50
S355	299*5.00	7	3.05	L245	219*6.4	45	18.12
S355	299*5.75	38	18.97	L245	219*6.25	516	203.08
S355	299*6.75	14	8.17	L245	219*6.25*6	41	8.07
S355	299*7.75	1	0.67	L245	219*6.4	1	0.40
S355	299*8.2	1	0.71	L245	325*6.9	765	496.98

S355	299*9.00*12	56	43.26	L245	406*6.1*6	5	1.81
S355	299*9.25*8.76	1	0.58	L245	406*6.9	453	369.23
S355	299*9.75	19	15.86	L245	406*6.9*6	1	0.41
S355	299*10.00	1	0.86	L245	406*7.6*12	2	1.79
S355	299*11.75	4	4.00	L245	406*7.6*6	3	1.34
S355	299*13.75	106	123.05	L245	406*7.75*12	112	102.32
S355	325*7.75	13	9.46	L245	406*7.75*6	13	5.94
S355	325*7.75*6	2	0.73	L245	508*8.75*12	265	342.64
S355	325*9.75	16	14.56	L245	508*8.75*6	11	7.11
S355	325*11.75*6	8	4.36	L245	508*11.75	109	60.33
S355	325*12.75*6	1	0.59	L245	508*11.75*5.8	1	0.60
S355	325*13.75	9	11.40	L245	508*11.75*6	17	12.25
S355	355*5.75*8	3	1.19	L245	609*7.75	36	14.66
S355	355*5.75*10.2	115	58.10	L245	609*9.1	24	11.42
S355	406*14.5*14.5	2	4.06	L245	609*9.1*6	27	14.69
S355	457*9.2*6	4	2.44	L245	609*9.1*11.8	46	27.37
S355	457*9.2*16	7	11.38	L245	609*9.75	13	7.95
S355	457*9.2*16.5	4	6.71	Q460	273*6.2*12	1	0.68
S355	457*9.2*17.1	3	5.21	Q460	508*12.2*6	25	18.63
S355	457*9.2*17.3	4	7.03	Q460	508*12.2*10.6	14	11.36
S355	457*9.2*17.5	4	7.11	S355	560*6.1*6	1	0.50
S355	457*9.2*17.7	4	7.19	S355	610*11.8	3	6.27
S355	508*18.5*6	6	8.04	TOTAL		19871	15369.87
TOTAL		20059	12232.05				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China

Tel: 0086-731-88787781

FAX: 0086-731-84788292

Enquiry Us: info@hu-steel.com

Web: www.hu-steel.com/www.husteel-group.com