



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/11800	723.32	377	10	5800/11800	736.65	
			7		723.32		11		736.65	
			8		757.51		12		743.49	
			9		757.51		13		743.49	
		273	6		723.32	406.4	6		683.32	
			7		723.32		7		683.32	
			8		757.51		8		717.51	
			9		757.51		9		717.51	
			10		776.65		10		736.65	
		323.9	6		723.32	426	11		736.65	
			7		723.32		12		743.49	
			8		757.51		13		743.49	
			9		757.51		6		683.32	
			10		776.65				7	683.32
			11		776.65				8	717.51
		325	12		783.49	9	717.51			
			6		723.32	457	10		736.65	
			7		723.32		11		736.65	
			8		757.51		12		743.49	
			9		757.51		13		743.49	
			10		776.65		6		683.32	
		11	776.65		7				683.32	
		355.6	12		783.49	8	717.51			
			6		723.32	478	9		717.51	
			7		723.32		10		736.65	
			8		757.51		11		736.65	
			9		757.51		12		743.49	
			10		776.65		13		743.49	
		11	776.65		6		683.32			
		12	783.49			7	683.32			
		6	723.32			8	717.51			
		377	7		723.32	478	9		717.51	
			9		757.51		10		717.51	

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/11800	749.30	711	13	5800/11800	722.98
			12		756.14		14		729.92
			13		756.14		15		729.92
		508	6		728.79	16	729.92		
			7		749.30	6	688.79		
			8		756.14	7	709.3		
			9		757.51	8	716.14		
			10		762.98	9	717.51		
			11		762.98	10	722.98		
			12		762.98	11	722.98		
			13		769.82	12	722.98		
		529	14		769.82	13	729.82		
			6		728.79	14	729.82		
			7		749.30	15	741.25		
			8		756.14	16	741.25		
			9		757.51	7	688.79		
			10		762.98	8	709.3		
			11		762.98	9	716.14		
			12		762.98	10	717.51		
		630	13		769.82	11	722.98		
			14		769.82	12	722.98		
			6		728.79	13	729.92		
			7		749.30	14	729.92		
			8		756.14	15	741.25		
			9		757.51	16	741.25		
			10		762.98	17	750.33		
			11		762.98	18	709.3		
			12		762.98	7	716.14		
			13		769.82	8	717.51		
			14		769.82	9	722.98		
			15		776.65	10	722.98		
			711		6	728.79	11		722.98
					7	749.30	12		729.82
					8	756.14	13		729.82
		9			757.51	14	729.82		
		10			762.98	15	741.25		
		11			762.98	16	741.25		
		12			769.82	17	750.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/11800	783.49	1420	11	5800/11800	709.39
		920	8		728.79		12		716.14
			9		749.30		13		717.51
			10		756.14		14		722.98
			11		757.51		15		722.98
			12		762.98		16		722.98
			13		762.98		17		729.82
			14		769.82		18		729.82
			15		769.82		19		741.25
			16		769.82		20		741.25
			17		769.82		1620		11
		18	776.65		12				717.51
		8	749.30		13				722.98
		9	756.14		14				722.98
		10	757.51		15				722.98
		11	762.98		16				729.82
		12	762.98		17				729.82
		13	769.82		18	741.25			
		14	769.82		19	741.25			
		15	769.82		20	750.49			
		1020	16		769.82	1820	12		717.51
			17		776.65		13		722.98
			18		776.65		14		722.98
			19		776.65		15		722.98
			20		783.49		16		729.82
			8		749.30		17		729.82
			9		756.14		18		741.25
			10		757.51		19		741.25
			11		762.98		20		750.49
			12		762.98		2020		13
		13	769.82		14	722.89			
		14	769.82		15	722.89			
		15	769.82		16	722.89			
		16	769.82		17	729.82			
		17	776.65		18	729.82			
		18	776.65		19	741.25			
		19	776.65		20	741.25			
		20	783.49		2220	13			750.49
		1420	10			762.98			14

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/11800	749.39
			16		756.14
			17		757.51
			18		762.98
			19		762.98
			20		769.82
		2500	14		762.98
			15		769.82
			16		769.82
			17		769.82
			18		769.82
			19		776.65
			20		776.65
			21		776.65
			22		783.49
			23		790.33
		2540	24		790.33
			25		790.33
			15		762.98
			16		769.82
			17		769.82
			18		769.82
			19		769.82
			20		776.65
			21		776.65
			22		776.65
		3500	23		783.49
			24		790.33
			25		790.33
			16		769.82
17	776.65				
18	776.65				
19	776.65				
20	783.49				
21	790.33				
22	790.33				
23	790.33				
24	762.98				
25	790.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com