



**HUSTEEL INDUSTRY GROUP**  
**HUNAN STANDARD STEEL CO.,LTD**

**SSAW STEEL PIPE STOCK LIST**

**SAW/SAWH/SAWL STEEL PIPE**

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/12000	483.32	377	10	5800/12000	536.65
			7		483.32		11		536.65
			8		517.51		12		543.49
			9		517.51		13		543.49
		273	6		483.32	406.4	6		483.32
			7		483.32		7		483.32
			8		517.51		8		517.51
			9		517.51		9		517.51
			10		536.65		10		536.65
		323.9	6		483.32	426	11		536.65
			7		483.32		12		543.49
			8		517.51		13		543.49
			9		517.51		6		483.32
			10		536.65		7		483.32
			11		536.65		8		517.51
		325	12		543.49	457	9		517.51
			6		483.32		10		536.65
			7		483.32		11		536.65
			8		517.51		12		543.49
			9		517.51		13		543.49
			10		536.65		6		483.32
		355.6	11		536.65	478	7		483.32
			12		543.49		8		517.51
			6		483.32		9		517.51
			7		483.32		10		517.51
			8		517.51		6		483.32
			9		517.51		7		483.32
		377	10		536.65	478	8		517.51
			11		536.65		9		517.51
			12		543.49		10		517.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/12000	509.302071	711	13	5800/12000	522.98
			12		516.1397633		14		529.92
			13		516.1397633		15		529.92
		508	6		488.7889941	16	529.92		
			7		509.302071	6	488.79		
			8		516.1397633	7	509.3		
			9		517.5073018	8	516.14		
			10		522.9774556	9	517.51		
			11		522.9774556	10	522.98		
			12		522.9774556	11	522.98		
			13		529.8151479	12	522.98		
		529	14		529.8151479	13	529.82		
			6		488.7889941	14	529.82		
			7		509.302071	15	541.25		
			8		516.1397633	16	541.25		
			9		517.5073018	7	488.79		
			10		522.9774556	8	509.3		
			11		522.9774556	9	516.14		
			12		522.9774556	10	517.51		
		630	13		529.8151479	11	522.98		
			14		529.8151479	12	522.98		
			6		488.7889941	13	529.92		
			7		509.302071	14	529.92		
			8		516.1397633	15	541.25		
			9		517.5073018	16	541.25		
			10		522.9774556	17	550.33		
			11		522.9774556	18	509.3		
			12		522.9774556	7	516.14		
			13		529.8151479	8	517.51		
			14		529.8151479	9	522.98		
			15		536.6528402	10	522.98		
			711		6	488.7889941	11		522.98
					7	509.302071	12		529.82
					8	516.1397633	13		529.82
		9			517.5073018	14	529.82		
		10			522.9774556	15	541.25		
		11			522.9774556	16	541.25		
		12			529.8151479	17	550.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/12000	543.4905325	1420	11	5800/12000	509.39
		920	8		488.7889941		12		516.14
			9		509.302071		13		517.51
			10		516.1397633		14		522.98
			11		517.5073018		15		522.98
			12		522.9774556		16		522.98
			13		522.9774556		17		529.82
			14		529.8151479		18		529.82
			15		529.8151479		19		541.25
			16		529.8151479		20		541.25
			17		529.8151479	11	516.14		
		1020	18		536.6528402	12	517.51		
			8		509.302071	13	522.98		
			9		516.1397633	14	522.98		
			10		517.5073018	15	522.98		
			11		522.9774556	16	529.82		
			12		522.9774556	17	529.82		
			13		529.8151479	18	541.25		
			14		529.8151479	19	541.25		
			15		529.8151479	20	550.49		
			16		529.8151479	12	517.51		
		1220	17		536.6528402	13	522.98		
			18		536.6528402	14	522.98		
			19		536.6528402	15	522.98		
			20		543.4905325	16	529.82		
			8		509.302071	17	529.82		
			9		516.1397633	18	541.25		
			10		517.5073018	19	541.25		
			11		522.9774556	20	550.49		
			12		522.9774556	13	517.51		
			13		529.8151479	14	522.89		
		1420	14		529.8151479	15	522.89		
			15		529.8151479	16	522.89		
			16		529.8151479	17	529.82		
			17		536.6528402	18	529.82		
			18		536.6528402	19	541.25		
			19		536.6528402	20	541.25		
			20		543.4905325	13	550.49		
			13		522.9774556	14	555.58		
			14		522.9774556	14	555.58		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/12000	509.39
			16		516.14
			17		517.51
			18		522.98
			19		522.98
			20		529.82
		2500	14		522.98
			15		529.82
			16		529.82
			17		529.82
			18		529.82
			19		536.65
			20		536.65
			21		536.65
			22		543.49
			23		550.33
		2540	24		550.33
			25		550.33
			15		522.98
			16		529.82
			17		529.82
			18		529.82
			19		529.82
			20		536.65
			21		536.65
			22		536.65
		3500	23		543.49
			24		550.33
			25		550.33
			16		529.82
17	536.65				
18	536.65				
19	536.65				
20	543.49				
21	550.33				
22	550.33				
23	550.33				
24	522.98				
25	550.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China  
Tel: 0086-731-88787781  
FAX: 0086-731-84788292  
Enquiry Us: info@hu-steel.com  
Web: www.hu-steel.com