



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/12000	533.32	377	10	5800/12000	581.65
			7		533.32		11		581.65
			8		567.51		12		588.49
			9		567.51		13		588.49
		273	6		533.32	406.4	6		528.32
			7		533.32		7		528.32
			8		567.51		8		562.51
			9		567.51		9		562.51
			10		586.65		10		581.65
		323.9	6		533.32	426	11		581.65
			7		533.32		12		588.49
			8		567.51		13		588.49
			9		567.51		6		528.32
			10		586.65		7		528.32
			11		586.65		8		562.51
			12		593.49		9		562.51
		325	6		533.32	457	10		581.65
			7		533.32		11		581.65
			8		567.51		12		588.49
			9		567.51		13		588.49
			10		586.65		6		528.32
			11		586.65		7		528.32
		355.6	12		593.49		8		562.51
			6		533.32		9		562.51
			7		533.32		10		581.65
			8		567.51		11		581.65
			9		567.51		12		588.49
			10		586.65		13		588.49
		377	11		586.65	478	6		528.32
			12		593.49		7		528.32
			6		533.32		8		562.51
			7		533.32		9		562.51
			9		567.51		10		562.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/12000	559.30	711	13	5800/12000	567.98
			12		566.14		14		574.92
			13		566.14		15		574.92
		508	6		538.79	720	16		574.92
			7		559.30		6		533.79
			8		566.14		7		554.3
			9		567.51		8		561.14
			10		572.98		9		562.51
			11		572.98		10		567.98
			12		572.98		11		567.98
			13		579.82		12		567.98
			14		579.82		13		574.82
		529	6		538.79	813	14		574.82
			7		559.30		15		586.25
			8		566.14		16		586.25
			9		567.51		7		533.79
			10		572.98		8		554.3
			11		572.98		9		561.14
			12		572.98		10		562.51
			13		579.82		11		567.98
			14		579.82		12		567.98
		630	6		538.79		13		574.92
			7		559.30		14		574.92
			8		566.14		15		586.25
			9		567.51		16		586.25
			10		572.98		17		595.33
			11		572.98		18		554.3
			12		572.98	820	7		561.14
			13		579.82		8		562.51
			14		579.82		9		567.98
			15		586.65		10		567.98
		711	6		538.79		11		567.98
			7		559.30		12		574.82
			8		566.14		13		574.82
			9		567.51		14		574.82
			10		572.98		15		586.25
			11		572.98		16		586.25
			12		579.82		17		595.33

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/12000	593.49	1420	11	5800/12000	554.39
		920	8		538.79		12		561.14
			9		559.30		13		562.51
			10		566.14		14		567.98
			11		567.51		15		567.98
			12		572.98		16		567.98
			13		572.98		17		574.82
			14		579.82		18		574.82
			15		579.82		19		586.25
			16		579.82		20		586.25
			17		579.82	1620	11		561.14
		1020	18		586.65		12		562.51
			8		559.30		13		567.98
			9		566.14		14		567.98
			10		567.51		15		567.98
			11		572.98		16		574.82
			12		572.98		17		574.82
			13		579.82		18		586.25
			14		579.82		19		586.25
			15		579.82		20		595.49
			16		579.82	1820	12		562.51
		1220	17		586.65		13		567.98
			18		586.65		14		567.98
			19		586.65		15		567.98
			20		593.49		16		574.82
			8		559.30		17		574.82
			9		566.14	2020	18		586.25
			10		567.51		19		586.25
			11		572.98		20		595.49
			12		572.98		13		562.51
			13		579.82		14		567.89
			14		579.82		15		567.89
			15		579.82		16		567.89
			16		579.82		17		574.82
			17		586.65		18		574.82
			18		586.65		19		586.25
			19		586.65		20		586.25
			20		593.49	2220	13		595.49
		1420	10		572.98		14		600.58

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/12000	559.39
			16		566.14
			17		567.51
			18		572.98
			19		572.98
			20		579.82
		2500	14		572.98
			15		579.82
			16		579.82
			17		579.82
			18		579.82
			19		586.65
			20		586.65
			21		586.65
			22		593.49
			23		600.33
			24		600.33
			25		600.33
		2540	15		572.98
			16		579.82
			17		579.82
			18		579.82
			19		579.82
			20		586.65
			21		586.65
			22		586.65
			23		593.49
			24		600.33
			25		600.33
		3500	16		579.82
			17		586.65
			18		586.65
			19		586.65
			20		593.49
			21		600.33
			22		600.33
			23		600.33
			24		572.98
			25		600.33

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha
,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com