



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/12000	563.32	377	10	5800/12000	586.65
			7		563.32		11		586.65
			8		597.51		12		593.49
			9		597.51		13		593.49
		273	6		563.32	406.4	6		533.32
			7		563.32		7		533.32
			8		597.51		8		567.51
			9		597.51		9		567.51
			10		616.65		10		586.65
		323.9	6		563.32	426	11		586.65
			7		563.32		12		593.49
			8		597.51		13		593.49
			9		597.51		6		533.32
			10		616.65		7		533.32
			11		616.65		8		567.51
		325	12		623.49	426	9		567.51
			6		563.32		10		586.65
			7		563.32		11		586.65
			8		597.51		12		593.49
			9		597.51		13		593.49
			10		616.65		6		533.32
			11		616.65		7		533.32
		355.6	12		623.49	457	8		567.51
			6		563.32		9		567.51
			7		563.32		10		586.65
			8		597.51		11		586.65
			9		597.51		12		593.49
			10		616.65		13		593.49
		377	11		616.65	478	6		533.32
			12		623.49		7		533.32
			6		563.32		8		567.51
			7		563.32		9		567.51
			9		597.51		10		567.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/12000	579.30	711	13	5800/12000	592.98
			12		586.14		14		599.92
			13		586.14		15		599.92
		508	6		558.79	16	599.92		
			7		579.30	6	558.79		
			8		586.14	7	579.3		
			9		587.51	8	586.14		
			10		592.98	9	587.51		
			11		592.98	10	592.98		
			12		592.98	11	592.98		
			13		599.82	12	592.98		
		529	14		599.82	13	599.82		
			6		558.79	14	599.82		
			7		579.30	15	611.25		
			8		586.14	16	611.25		
			9		587.51	7	558.79		
			10		592.98	8	579.3		
			11		592.98	9	586.14		
			12		592.98	10	587.51		
		630	13		599.82	11	592.98		
			14		599.82	12	592.98		
			6		558.79	13	599.92		
			7		579.30	14	599.92		
			8		586.14	15	611.25		
			9		587.51	16	611.25		
			10		592.98	17	620.33		
			11		592.98	18	579.3		
			12		592.98	7	586.14		
			13		599.82	8	587.51		
			14		599.82	9	592.98		
			15		606.65	10	592.98		
			711		6	558.79	11		592.98
					7	579.30	12		599.82
					8	586.14	13		599.82
		9			587.51	14	599.82		
		10			592.98	15	611.25		
		11			592.98	16	611.25		
		12			599.82	17	620.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/12000	633.49	1420	11	5800/12000	589.39
		920	8		578.79		12		596.14
			9		599.30		13		597.51
			10		606.14		14		602.98
			11		607.51		15		602.98
			12		612.98		16		602.98
			13		612.98		17		609.82
			14		619.82		18		609.82
			15		619.82		19		621.25
			16		619.82		20		621.25
			17		619.82		1620		11
		18	626.65		12				597.51
		8	599.30		13				602.98
		9	606.14		14				602.98
		10	607.51		15				602.98
		11	612.98		16				609.82
		12	612.98		17				609.82
		13	619.82		18	621.25			
		14	619.82		19	621.25			
		15	619.82		20	630.49			
		1020	16		619.82	1820	12		597.51
			17		626.65		13		602.98
			18		626.65		14		602.98
			19		626.65		15		602.98
			20		633.49		16		609.82
			8		599.30		17		609.82
			9		606.14		18		621.25
			10		607.51		19		621.25
			11		612.98		20		630.49
			12		612.98		2020		13
		13	619.82		14	602.89			
		14	619.82		15	602.89			
		15	619.82		16	602.89			
		16	619.82		17	609.82			
		17	626.65		18	609.82			
		18	626.65		19	621.25			
		19	626.65		20	621.25			
		20	633.49		2220	13			630.49
		1420	10			612.98			14

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/12000	594.39
			16		601.14
			17		602.51
			18		607.98
			19		607.98
			20		614.82
		2500	14		607.98
			15		614.82
			16		614.82
			17		614.82
			18		614.82
			19		621.65
			20		621.65
			21		621.65
			22		628.49
			23		635.33
		2540	24		635.33
			25		635.33
			15		607.98
			16		614.82
			17		614.82
			18		614.82
			19		614.82
			20		621.65
			21		621.65
			22		621.65
		3500	23		628.49
			24		635.33
			25		635.33
			16		614.82
17	621.65				
18	621.65				
19	621.65				
20	628.49				
21	635.33				
22	635.33				
23	635.33				
24	607.98				
25	635.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com