



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/12000	473.32	377	10	5800/12000	526.65
			7		473.32		11		526.65
			8		507.51		12		533.49
			9		507.51		13		533.49
		273	6		473.32	406.4	6		473.32
			7		473.32		7		473.32
			8		507.51		8		507.51
			9		507.51		9		507.51
			10		526.65		10		526.65
		323.9	6		473.32	426	11		526.65
			7		473.32		12		533.49
			8		507.51		13		533.49
			9		507.51		6		473.32
			10		526.65		7		473.32
			11		526.65		8		507.51
		325	12		533.49	457	9		507.51
			6		473.32		10		526.65
			7		473.32		11		526.65
			8		507.51		12		533.49
			9		507.51		13		533.49
			10		526.65		6		473.32
		355.6	11		526.65	478	7		473.32
			12		533.49		8		507.51
			6		473.32		9		507.51
			7		473.32		10		507.51
			8		507.51		6		473.32
			9		507.51		7		473.32
		377	10		526.65	478	8		507.51
			11		526.65		9		507.51
			12		533.49		10		507.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/12000	499.302071	711	13	5800/12000	512.98
			12		506.1397633		14		519.92
			13		506.1397633		15		519.92
		508	6		478.7889941	16	519.92		
			7		499.302071	6	478.79		
			8		506.1397633	7	499.3		
			9		507.5073018	8	506.14		
			10		512.9774556	9	507.51		
			11		512.9774556	10	512.98		
			12		512.9774556	11	512.98		
			13		519.8151479	12	512.98		
		529	14		519.8151479	13	519.82		
			6		478.7889941	14	519.82		
			7		499.302071	15	531.25		
			8		506.1397633	16	531.25		
			9		507.5073018	7	478.79		
			10		512.9774556	8	499.3		
			11		512.9774556	9	506.14		
			12		512.9774556	10	507.51		
		630	13		519.8151479	11	512.98		
			14		519.8151479	12	512.98		
			6		478.7889941	13	519.92		
			7		499.302071	14	519.92		
			8		506.1397633	15	531.25		
			9		507.5073018	16	531.25		
			10		512.9774556	17	540.33		
			11		512.9774556	18	499.3		
			12		512.9774556	7	506.14		
			13		519.8151479	8	507.51		
			14		519.8151479	9	512.98		
			15		526.6528402	10	512.98		
			711		6	478.7889941	11		512.98
					7	499.302071	12		519.82
					8	506.1397633	13		519.82
		9			507.5073018	14	519.82		
		10			512.9774556	15	531.25		
		11			512.9774556	16	531.25		
		12			519.8151479	17	540.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/12000	533.4905325	1420	11	5800/12000	499.39
		920	8		478.7889941		12		506.14
			9		499.302071		13		507.51
			10		506.1397633		14		512.98
			11		507.5073018		15		512.98
			12		512.9774556		16		512.98
			13		512.9774556		17		519.82
			14		519.8151479		18		519.82
			15		519.8151479		19		531.25
			16		519.8151479		20		531.25
			17		519.8151479	11	506.14		
		1020	18		526.6528402	12	507.51		
			8		499.302071	13	512.98		
			9		506.1397633	14	512.98		
			10		507.5073018	15	512.98		
			11		512.9774556	16	519.82		
			12		512.9774556	17	519.82		
			13		519.8151479	18	531.25		
			14		519.8151479	19	531.25		
			15		519.8151479	20	540.49		
			16		519.8151479	12	507.51		
		1220	17		526.6528402	13	512.98		
			18		526.6528402	14	512.98		
			19		526.6528402	15	512.98		
			20		533.4905325	16	519.82		
			8		499.302071	17	519.82		
			9		506.1397633	18	531.25		
			10		507.5073018	19	531.25		
			11		512.9774556	20	540.49		
			12		512.9774556	13	507.51		
			13		519.8151479	14	512.89		
		1420	14		519.8151479	15	512.89		
			15		519.8151479	16	512.89		
			16		519.8151479	17	519.82		
			17		526.6528402	18	519.82		
			18		526.6528402	19	519.82		
			19		526.6528402	20	531.25		
			20		526.6528402	13	531.25		
			533.4905325		14	540.49			
			512.9774556		14	545.58			

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/12000	499.39
			16		506.14
			17		507.51
			18		512.98
			19		512.98
			20		519.82
		2500	14		512.98
			15		519.82
			16		519.82
			17		519.82
			18		519.82
			19		526.65
			20		526.65
			21		526.65
			22		533.49
			23		540.33
		2540	24		540.33
			25		540.33
			15		512.98
			16		519.82
			17		519.82
			18		519.82
			19		519.82
			20		526.65
			21		526.65
			22		526.65
		3500	23		533.49
			24		540.33
			25		540.33
			16		519.82
17	526.65				
18	526.65				
19	526.65				
20	533.49				
21	540.33				
22	540.33				
23	540.33				
24	512.98				
25	540.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com