



**HUSTEEL INDUSTRY GROUP**  
**HUNAN STANDARD STEEL CO.,LTD**

**SEAMLESS STEEL PIPE PRICE LIST**

**SMLS/SEAMLESS STEEL PIPE**

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	
SMLS STEEL PIPE	API 5L / ASTM A53 / ASTM A106	73	6	5800/12000	509.05	88.9	11	5800/12000	504.00	
			7		509.05		12		504.00	
			8		476.23		13		545.03	
			9		476.23		14		545.03	
			10		476.23		15		545.03	
			11		494.00		16		519.05	
			12		494.00		6		519.05	
			13		535.03		7		486.23	
			14		535.03		8		486.23	
			76.1		6		509.05		9	486.23
					7		509.05		10	504.00
					8		476.23		11	504.00
					9		476.23		12	545.03
					10		476.23		13	545.03
		11			494.00	14	545.03			
		12			494.00	15	545.03			
		13			535.03	16	551.87			
		14			535.03	6	531.35			
		82.5			6	509.05	7		505.37	
			7		509.05	8	505.37			
			8		476.23	9	472.55			
			9		476.23	10	472.55			
			10		476.23	11	486.23			
			11		494.00	12	486.23			
			12		494.00	13	486.23			
			13		535.03	14	531.35			
			14		535.03	15	531.35			
			15		541.87	16	531.35			
		88.9	6		509.05	6	505.37			
			7		509.05	7	505.37			
			8		476.23	8	472.55			
			9		476.23	9	472.55			
			10		476.23	10	472.55			

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SMLS STEEL PIPE	API 5L / ASTM A53 / ASTM A106	127	11	5800/12000	476.23	159	10	5800/12000	486.23
			12		476.23		11		486.23
			13		476.23		12		486.23
			14		521.35		13		531.35
			15		521.35		14		531.35
			16		521.35		15		531.35
			17		555.54		16		565.54
			18		555.54		17		565.54
		139.7	6		462.55	168.3	18		472.55
			7		462.55		6		472.55
			8		476.23		7		486.23
			9		476.23		8		486.23
			10		476.23		9		486.23
			11		476.23		10		486.23
			12		476.23		11		486.23
			13		476.23		12		486.23
			14		521.35		13		531.35
			15		521.35		14		531.35
		152.4	16		521.35	177.8	15		531.35
			17		535.03		16		545.03
			18		535.03		17		545.03
			6		462.55		18		472.55
			7		462.55		7		472.55
			8		476.23		8		486.23
			9		476.23		9		486.23
			10		476.23		10		486.23
			11		476.23		11		486.23
			12		476.23		12		486.23
		159	13		476.23	177.8	13		486.23
			14		521.35		14		531.35
			15		521.35		15		531.35
			16		521.35		16		531.35
		159	17		535.03	177.8	17		545.03
			18		535.03		18		545.03
			6		462.55		19		472.55
			7		462.55		20		472.55
			8		476.23		21		486.23
		159	9		476.23	177.8	22		486.23

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	
SMLS STEEL PIPE	API 5L / ASTM A53 / ASTM A106	177.8	23	5800/12000	548.71	203	21	5800/12000	558.71	
			24		548.71		22		558.71	
			25		548.71		23		558.71	
		193.7	8		462.55		24		565.54	
			9		476.23		25		565.54	
			10		476.23		26		565.54	
			11		476.23		27		586.06	
			12		476.23		28		586.06	
			13		476.23		29		586.06	
			14		476.23		30		599.73	
			15		521.35		219.1		8	599.73
			16		521.35				9	486.23
			17		521.35				10	486.23
			18		535.03				11	486.23
			19		535.03	12			486.23	
			20		548.71	13			486.23	
			21		548.71	14			486.23	
			22		548.71	15			531.35	
			23		555.54	16			531.35	
			24		555.54	17			531.35	
			25		576.06	18			545.03	
			26		576.06	19			545.03	
			27		576.06	20			558.71	
			28		576.06	21			558.71	
			29		589.73	22			558.71	
			30		589.73	23			565.54	
			203		8	476.23	24		565.54	
					9	509.05	25		565.54	
					10	476.23	26		586.06	
					11	476.23	27		586.06	
12	476.23	28		586.06						
13	494.00	29		599.73						
14	494.00	30		599.73						
15	535.03	244.5		8	486.23					
16	535.03			9	519.05					
17	541.87			10	486.23					
18	509.05		11	486.23						
19	509.05		12	486.23						
20	517.25		13	504.00						



Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port	
SMLS STEEL PIPE	API 5L / ASTM A53 / ASTM A106	323.8	23	5800/12000	541.87	406.4	10	5800/12000	517.68	
			24		541.87		11		517.68	
			25		541.87		12		517.68	
			26		541.87		13		565.54	
			27		569.22		14		579.22	
			28		569.22		15		592.89	
			29		596.57		16		592.89	
			30		596.57		9		592.89	
		339.7	9		509.05	457.2	10		517.68	
			10		509.05		11		517.68	
			11		509.05		12		517.68	
			12		476.23		13		565.54	
			13		476.23		14		579.22	
			14		476.23		15		592.89	
			15		476.23		16		592.89	
			16		494.00		473.1		9	592.89
			17		494.00				10	517.68
			18		535.03				11	517.68
			19		535.03				12	517.68
			20		541.87				13	565.54
			21		548.71				14	579.22
			22		548.71				15	592.89
			23		548.71				16	592.89
		24	548.71		508	10			592.89	
		25	589.73			11	545.03			
		26	617.08			12	545.03			
		27	617.08			13	545.03			
		355.6	28		617.08	530	14		565.54	
			29		617.08		10		545.03	
			30		623.92		11		592.89	
			9		507.68	558.8	12		592.89	
			10		507.68		13		592.89	
			11		507.68		14		592.89	
12	555.54		10	545.03						
13	569.22		11	592.89						
14	582.89		12	592.89						
15	582.89		13	592.89						
16	582.89	14	592.89							
406.4	9	507.68	609.6	10	531.35					

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port
SMLS STEEL PIPE	API 5L / ASTM A53 / ASTM A106	609.6	10	5800/12000	555.54
			11		569.22
			12		582.89
			13		582.89
			14		582.89
		630	10		555.54
			11		569.22
			12		582.89
			13		582.89
			14		582.89

.China

Tel: 0086-731-88787781

FAX: 0086-731-84788292

Enquiry Us: info@hu-steel.com

Web: www.hu-steel.com