



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/11800	743.32	377	10	5800/11800	786.65
			7		743.32		11		786.65
			8		777.51		12		793.49
			9		777.51		13		793.49
		273	6		743.32	406.4	6		733.32
			7		743.32		7		733.32
			8		777.51		8		767.51
			9		777.51		9		767.51
			10		796.65		10		786.65
		323.9	6		743.32	426	11		786.65
			7		743.32		12		793.49
			8		777.51		13		793.49
			9		777.51		6		733.32
			10		796.65		7		733.32
			11		796.65		8		767.51
		325	12		803.49	457	9		767.51
			6		743.32		10		786.65
			7		743.32		11		786.65
			8		777.51		12		793.49
			9		777.51		13		793.49
			10		796.65		6		733.32
			11		796.65		7		733.32
		355.6	12		803.49	478	8		767.51
			6		743.32		9		767.51
			7		743.32		10		786.65
			8		777.51		11		786.65
			9		777.51		12		793.49
			10		796.65		13		793.49
		377	11		796.65	478	6		733.32
			12		803.49		7		733.32
			6		743.32		8		767.51
			7		743.32		9		767.51
					9	777.51	10		767.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/11800	769.30	711	13	5800/11800	772.98
			12		776.14		14		779.92
			13		776.14		15		779.92
		508	6		748.79	16	779.92		
			7		769.30	6	738.79		
			8		776.14	7	759.3		
			9		777.51	8	766.14		
			10		782.98	9	767.51		
			11		782.98	10	772.98		
			12		782.98	11	772.98		
			13		789.82	12	772.98		
		529	14		789.82	13	779.82		
			6		748.79	14	779.82		
			7		769.30	15	791.25		
			8		776.14	16	791.25		
			9		777.51	7	738.79		
			10		782.98	8	759.3		
			11		782.98	9	766.14		
			12		782.98	10	767.51		
		630	13		789.82	11	772.98		
			14		789.82	12	772.98		
			6		748.79	13	779.92		
			7		769.30	14	779.92		
			8		776.14	15	791.25		
			9		777.51	16	791.25		
			10		782.98	17	800.33		
			11		782.98	18	759.30		
			12		782.98	7	766.14		
			13		789.82	8	767.51		
			14		789.82	9	772.98		
			15		796.65	10	772.98		
			711		6	748.79	11		772.98
					7	769.30	12		779.82
					8	776.14	13		779.82
		9			777.51	14	779.82		
		10			782.98	15	791.25		
		11			782.98	16	791.25		
		12			789.82	17	800.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/11800	823.49	1420	11	5800/11800	759.39
		920	8		768.79		12		766.14
			9		789.30		13		767.51
			10		796.14		14		772.98
			11		797.51		15		772.98
			12		802.98		16		772.98
			13		802.98		17		779.82
			14		809.82		18		779.82
			15		809.82		19		791.25
			16		809.82		20		791.25
			17		809.82		1620		11
		18	816.65		12				767.51
		8	789.30		13				772.98
		9	796.14		14				772.98
		10	797.51		15				772.98
		11	802.98		16				779.82
		12	802.98		17				779.82
		13	809.82		18	791.25			
		14	809.82		19	791.25			
		15	809.82		20	800.49			
		1020	16		809.82	1820	12		767.51
			17		816.65		13		772.98
			18		816.65		14		772.98
			19		816.65		15		772.98
			20		823.49		16		779.82
			8		789.30		17		779.82
			9		796.14		18		791.25
			10		797.51		19		791.25
			11		802.98		20		800.49
			12		802.98		2020		13
		13	809.82		14	772.89			
		14	809.82		15	772.89			
		15	809.82		16	772.89			
		16	809.82		17	779.82			
		17	816.65		18	779.82			
		18	816.65		19	791.25			
		19	816.65		20	791.25			
		20	823.49		2220	13			800.49
		1420	10			802.98			14

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/11800	789.39
			16		796.14
			17		797.51
			18		802.98
			19		802.98
			20		809.82
		2500	14		802.98
			15		809.82
			16		809.82
			17		809.82
			18		809.82
			19		816.65
			20		816.65
			21		816.65
			22		823.49
			23		830.33
		2540	24		830.33
			25		830.33
			15		802.98
			16		809.82
			17		809.82
			18		809.82
			19		809.82
			20		816.65
			21		816.65
			22		816.65
		3500	23		823.49
			24		830.33
			25		830.33
			16		809.82
17	816.65				
18	816.65				
19	816.65				
20	823.49				
21	830.33				
22	830.33				
23	830.33				
24	802.98				
25	830.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com