



HUSTEEL INDUSTRY GROUP
HUNAN STANDARD STEEL CO.,LTD

SSAW STEEL PIPE STOCK LIST

SAW/SAWH/SAWL STEEL PIPE

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	219.1	6	5800/11800	693.32	377	10	5800/11800	736.65
			7		693.32		11		736.65
			8		727.51		12		743.49
			9		727.51		13		743.49
		273	6		693.32	406.4	6		683.32
			7		693.32		7		683.32
			8		727.51		8		717.51
			9		727.51		9		717.51
			10		746.65		10		736.65
		323.9	6		693.32	426	11		736.65
			7		693.32		12		743.49
			8		727.51		13		743.49
			9		727.51		6		683.32
			10		746.65		7		683.32
			11		746.65		8		717.51
		325	12		753.49	9	717.51		
			6		693.32	457	10		736.65
			7		693.32		11		736.65
			8		727.51		12		743.49
			9		727.51		13		743.49
			10		746.65		6		683.32
			11		746.65		7		683.32
		12	753.49		8		717.51		
		355.6	6		693.32	478	9		717.51
			7		693.32		10		736.65
			8		727.51		11		736.65
			9		727.51		12		743.49
			10		746.65		13		743.49
			11		746.65		6		683.32
		377	12		753.49	7	683.32		
			6		693.32	8	717.51		
			7		693.32	9	717.51		
					9	727.51	10		717.51

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	478	11	5800/11800	719.30	711	13	5800/11800	722.98
			12		726.14		14		729.92
			13		726.14		15		729.92
		508	6		698.79	16	729.92		
			7		719.30	6	688.79		
			8		726.14	7	709.3		
			9		727.51	8	716.14		
			10		732.98	9	717.51		
			11		732.98	10	722.98		
			12		732.98	11	722.98		
			13		739.82	12	722.98		
		529	14		739.82	13	729.82		
			6		698.79	14	729.82		
			7		719.30	15	741.25		
			8		726.14	16	741.25		
			9		727.51	7	688.79		
			10		732.98	8	709.3		
			11		732.98	9	716.14		
			12		732.98	10	717.51		
		630	13		739.82	11	722.98		
			14		739.82	12	722.98		
			6		698.79	13	729.92		
			7		719.30	14	729.92		
			8		726.14	15	741.25		
			9		727.51	16	741.25		
			10		732.98	17	750.33		
			11		732.98	18	709.3		
			12		732.98	7	716.14		
			13		739.82	8	717.51		
			14		739.82	9	722.98		
			15		746.65	10	722.98		
			711		6	698.79	11		722.98
					7	719.30	12		729.82
					8	726.14	13		729.82
		9			727.51	14	729.82		
		10			732.98	15	741.25		
		11			732.98	16	741.25		
		12			739.82	17	750.33		

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	820	18	5800/11800	753.49	1420	11	5800/11800	709.39
		920	8		698.79		12		716.14
			9		719.30		13		717.51
			10		726.14		14		722.98
			11		727.51		15		722.98
			12		732.98		16		722.98
			13		732.98		17		729.82
			14		739.82		18		729.82
			15		739.82		19		741.25
			16		739.82		20		741.25
			17		739.82		1620		11
		18	746.65		12				717.51
		8	719.30		13				722.98
		9	726.14		14				722.98
		10	727.51		15				722.98
		11	732.98		16				729.82
		12	732.98		17				729.82
		13	739.82		18	741.25			
		14	739.82		19	741.25			
		15	739.82		20	750.49			
		1020	16		739.82	1820	12		717.51
			17		746.65		13		722.98
			18		746.65		14		722.98
			19		746.65		15		722.98
			20		753.49		16		729.82
			8		719.30		17		729.82
			9		726.14		18		741.25
			10		727.51		19		741.25
			11		732.98		20		750.49
			12		732.98		2020		13
		13	739.82		14	722.89			
		14	739.82		15	722.89			
		15	739.82		16	722.89			
		16	739.82		17	729.82			
		17	746.65		18	729.82			
		18	746.65		19	741.25			
		19	746.65		20	741.25			
		20	753.49		2220	13			750.49
		1420	10			732.98			14

Products	Standard	Out Diameter (mm)	Wall Thickness (mm)	Length (mm)	FOB Tianjin Port (US\$/TON)
SSAW STEEL PIPE	API 5L / ASTM A53 / EN 10217	2220	15	5800/11800	719.39
			16		726.14
			17		727.51
			18		732.98
			19		732.98
			20		739.82
		2500	14		732.98
			15		739.82
			16		739.82
			17		739.82
			18		739.82
			19		746.65
			20		746.65
			21		746.65
			22		753.49
			23		760.33
		2540	24		760.33
			25		760.33
			15		732.98
			16		739.82
			17		739.82
			18		739.82
			19		739.82
			20		746.65
			21		746.65
			22		746.65
		3500	23		753.49
			24		760.33
			25		760.33
			16		739.82
17	746.65				
18	746.65				
19	746.65				
20	753.49				
21	760.33				
22	760.33				
23	760.33				
24	732.98				
25	760.33				

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China
Tel: 0086-731-88787781
FAX: 0086-731-84788292
Enquiry Us: info@hu-steel.com
Web: www.hu-steel.com