



Description	Coating	Heat Number	OD mm	WT mm	Unit Weight kg/m	Pcs	Total Weight kg
<b>CS PIPES</b>							
<b>PIPE; SEAMLESS; CARBON STEEL; ASTM A106 GR-B; DIMENSION ASME</b>							
<b>B36.10 STANDARD; BUTTWELD ENDS OR PLAIN ENDS AS PER ASME B16.25 STANDARD</b>							
1/2" SCH 40/STD	black	13801962	21.3	2.77	1.27	178	1,356.36
	bare	13801962	21.3	2.77	1.27	10	76.20
1/2" SCH 80/XS	black	1506001	21.3	3.73	1.62	28	272.16
	black	15-105398	21.3	3.73	1.62	19	184.68
	bare	1506001	21.3	3.73	1.62	35	340.20
3/4" SCH 40/STD	black	12608091	26.7	2.87	1.69	194	1,967.16
	bare	15-205620	26.7	2.87	1.69	100	1,014.00
3/4" SCH 80/XS	black	12709287	26.7	3.91	2.20	27	356.40
	black	15-202343	26.7	3.91	2.20	100	1,320.00
	bare	12709287	26.7	3.91	2.20	20	264.00
1" SCH 40/STD	black	Z11101267	33.4	3.38	2.50	43	645.00
	black	15-205716	33.4	3.38	2.50	99	1,485.00
	bare	15-106840	33.4	3.38	2.50	60	900.00
	bare	12608080	33.4	3.38	2.50	50	750.00
1" SCH 80/XS	black	12708175	33.4	4.55	3.24	791	15,377.04
	bare	12708175	33.4	4.55	3.24	72	1,399.68
1" SCH 160	black	Z11203860	33.4	6.35	4.24	98	2,493.12
1" SCH XXS	black	15-108509	33.4	9.09	5.45	27	882.90
1 1/4" SCH 40/STD	black	13801962	42.2	3.56	3.39	3	61.02
	black	081-04654	42.2	3.56	3.39	317	6,447.78
	bare	15-105559	42.2	3.56	3.39	150	3,051.00
	bare	15-105559	42.2	3.56	3.39	118	2,400.12
1 1/4" SCH 80/XS	black	5301713	42.2	4.85	4.47	43	1,153.26
	black	15-105558	42.2	4.85	4.47	100	2,682.00
	black	15-106585	42.2	4.85	4.47	60	1,609.20
	bare	15-101241	42.2	4.85	4.47	60	1,609.20
	bare	15-106585	42.2	4.85	4.47	60	1,609.20
1 1/4" SCH 160	black	07507813	42.2	6.35	5.61	42	1,413.72
1 1/2" SCH 40/STD	black	13801962	48.3	3.68	4.05	8	194.40
	black	09107172	48.3	3.68	4.05	500	12,150.00
	bare	13801962	48.3	3.68	4.05	56	1,360.80
1 1/2" SCH 80/XS	black	12608080(183	48.3	5.08	5.41	436	14,152.56
	bare	12709287	48.3	5.08	5.41	38	1,233.48
1 1/2" SCH 160	black	TZ3111334	48.3	7.14	7.25	26	1,131.00
	bare	TZ3111334	48.3	7.14	7.25	2	87.00
1 1/2" SCH XXS	black	15-207242	48.3	10.15	9.56	25	1,434.00
2" SCH 40/STD	black	15-106603	60.3	3.91	5.44	119	3,884.16
	black	15-207851	60.3	3.91	5.44	70	2,284.80
	black	15-205816	60.3	3.91	5.44	26	848.64
	bare	15-204004	60.3	3.91	5.44	28	913.92
	bare	15-207851	60.3	3.91	5.44	60	1,958.40
2" SCH 80/XS	black	13606659/1390	60.3	5.54	7.48	878	39,404.64
	bare	13606659	60.3	5.54	7.48	59	2,647.92
2" SCH 160	black	09304818-2	60.3	8.74	11.11	22	1,466.52
	black	15-105120	60.3	8.74	11.11	72	4,799.52
	bare	09304818-2	60.3	8.74	11.11	4	266.64
2" SCH XXS	black	15-109332	60.3	11.07	13.14	26	2,049.84
2 1/2" SCH 40/STD	black	15-109866	73.0	5.16	8.63	87	4,504.86
	bare	15-105109	73.0	5.16	8.63	78	4,038.84
	bare	1506036	73.0	5.16	8.63	10	517.80
2 1/2" SCH 80/XS	bare	5301713	73.0	7.01	11.41	1	68.46
	black	15-210105	73.0	7.01	11.41	31	2,122.26
	black	120735	73.0	7.01	11.41	52	3,559.92
	bare	120735	73.0	7.01	11.41	24	1,643.04
2 1/2" SCH 160	black	TZ3120291	73.0	9.53	14.92	14	1,253.28

		bare	<b>TZ3120291</b>	73.0	9.53	14.92	<b>4</b>	<b>358.08</b>
<b>3"</b>	<b>SCH 40/STD</b>	black	<b>39403</b>	88.9	5.49	11.29	<b>7</b>	<b>474.18</b>
		black	<b>1541294</b>	88.9	5.49	11.29	<b>181</b>	<b>12,260.94</b>
		bare	<b>39403</b>	88.9	5.49	11.29	<b>10</b>	<b>677.40</b>
		bare	<b>1541294</b>	88.9	5.49	11.29	<b>30</b>	<b>2,032.20</b>
		bare	<b>1541872</b>	88.9	5.49	11.29	<b>60</b>	<b>4,064.40</b>
<b>3"</b>	<b>SCH 80/XS</b>	black	<b>Z21210859(mi</b>	88.9	7.62	15.27	<b>3</b>	<b>274.86</b>
		black	<b>5D2712</b>	88.9	7.62	15.27	<b>8</b>	<b>732.96</b>
		black	<b>1541426</b>	88.9	7.62	15.27	<b>17</b>	<b>1,557.54</b>
		black	<b>1541426</b>	88.9	7.62	15.27	<b>38</b>	<b>3,481.56</b>
		black	<b>1541465</b>	88.9	7.62	15.27	<b>3</b>	<b>274.86</b>
		black	<b>1541465</b>	88.9	7.62	15.27	<b>57</b>	<b>5,222.34</b>
		bare	<b>1542045</b>	88.9	7.62	15.27	<b>60</b>	<b>5,497.20</b>
		bare	<b>Y156-1352</b>	88.9	7.62	15.27	<b>10</b>	<b>916.20</b>
<b>3"</b>	<b>SCH 160</b>	black	<b>7629</b>	88.9	11.13	21.35	<b>36</b>	<b>4,611.60</b>
		bare	<b>7629</b>	88.9	11.13	21.35	<b>2</b>	<b>256.20</b>
		black	<b>67642</b>	88.9	11.13	21.35	<b>1</b>	<b>128.10</b>
<b>3"</b>	<b>SCH XXS</b>	black	<b>09600533</b>	88.9	15.24	27.68	<b>8</b>	<b>1,328.64</b>
<b>4"</b>	<b>SCH 40/STD</b>	black	<b>1541569C</b>	114.3	6.02	16.07	<b>132</b>	<b>12,727.44</b>
		black	<b>1541562C</b>	114.3	6.02	16.07	<b>32</b>	<b>3,085.44</b>
		bare	<b>1541570C</b>	114.3	6.02	16.07	<b>58</b>	<b>5,592.36</b>
		bare	<b>1541571C</b>	114.3	6.02	16.07	<b>100</b>	<b>9,642.00</b>
		bare	<b>5E4451</b>	114.3	6.02	16.07	<b>60</b>	<b>5,785.20</b>
		bare	<b>Y155-1309</b>	114.3	6.02	16.07	<b>1</b>	<b>96.42</b>
<b>4"</b>	<b>SCH 80/XS</b>	black	<b>1553479</b>	114.3	8.56	22.32	<b>27</b>	<b>3,615.84</b>
		black	<b>1553487</b>	114.3	8.56	22.32	<b>4</b>	<b>535.68</b>
		black	<b>1553473</b>	114.3	8.56	22.32	<b>24</b>	<b>3,214.08</b>
		black	<b>5E4528</b>	114.3	8.56	22.32	<b>15</b>	<b>2,008.80</b>
		black	<b>1553479</b>	114.3	8.56	22.32	<b>60</b>	<b>8,035.20</b>
		black	<b>1553487</b>	114.3	8.56	22.32	<b>10</b>	<b>1,339.20</b>
		bare	<b>1553468</b>	114.3	8.56	22.32	<b>80</b>	<b>10,713.60</b>
		bare	<b>5E4528</b>	114.3	8.56	22.32	<b>60</b>	<b>8,035.20</b>
		bare	<b>Y155-1314</b>	114.3	8.56	22.32	<b>2</b>	<b>267.84</b>
<b>4"</b>	<b>SCH 120</b>	black	<b>107456</b>	114.3	11.13	28.32	<b>23</b>	<b>3,908.16</b>
		bare	<b>107456</b>	114.3	11.13	28.32	<b>2</b>	<b>339.84</b>
<b>4"</b>	<b>SCH 160</b>	black	<b>09204912(7pc)</b>	114.3	13.49	33.54	<b>5</b>	<b>1,006.20</b>
		black	<b>21B402(3pc)</b>	114.3	13.49	33.54	<b>3</b>	<b>603.72</b>
<b>4"</b>	<b>SCH XXS</b>	black	<b>31D489</b>	114.3	17.12	41.03	<b>7</b>	<b>1,723.26</b>
<b>5"</b>	<b>SCH 40/STD</b>	black	<b>13604575</b>	141.3	6.55	21.77	<b>208</b>	<b>27,168.96</b>
		black	<b>1541286</b>	141.3	6.55	21.77	<b>104</b>	<b>13,584.48</b>
		bare	<b>13604575</b>	141.3	6.55	21.77	<b>10</b>	<b>1,306.20</b>
<b>5"</b>	<b>SCH 80/XS</b>	black	<b>124086</b>	141.3	6.55	30.97	<b>42</b>	<b>7,804.44</b>
		black	<b>13704347</b>	141.3	9.53	30.97	<b>5</b>	<b>929.10</b>
		black	<b>1541540</b>	141.3	9.53	30.97	<b>190</b>	<b>35,305.80</b>
		bare	<b>1541978C</b>	141.3	9.53	30.97	<b>60</b>	<b>11,149.20</b>
		bare	<b>124086</b>	141.3	9.53	30.97	<b>10</b>	<b>1,858.20</b>
		bare	<b>13704347</b>	141.3	9.53	30.97	<b>12</b>	<b>2,229.84</b>
<b>5"</b>	<b>SCH 120</b>	black	<b>13604575</b>	141.3	9.53	40.28	<b>117</b>	<b>28,276.56</b>
		bare	<b>13604575</b>	141.3	12.70	40.28	<b>2</b>	<b>483.36</b>
<b>5"</b>	<b>SCH XXS</b>	black	<b>12600827</b>	141.3	12.70	57.43	<b>3</b>	<b>1,033.74</b>
<b>6"</b>	<b>SCH 40/STD</b>	black	<b>WB021300667</b>	141.3	19.05	28.26	<b>67</b>	<b>11,360.52</b>
		black	<b>1553445</b>	168.3	7.11	28.26	<b>40</b>	<b>6,782.40</b>
		black	<b>1553458</b>	168.3	7.11	28.26	<b>19</b>	<b>3,221.64</b>
		black	<b>1553464</b>	168.3	7.11	28.26	<b>80</b>	<b>13,564.80</b>
		bare	<b>WB021300667</b>	168.3	7.11	28.26	<b>11</b>	<b>1,865.16</b>
<b>6"</b>	<b>SCH 80/XS</b>	black	<b>2a4289</b>	168.3	7.11	42.56	<b>24</b>	<b>6,128.64</b>
		black	<b>1541508</b>	168.3	10.97	42.56	<b>1</b>	<b>255.36</b>
		black	<b>1541508</b>	168.3	10.97	42.56	<b>36</b>	<b>9,192.96</b>
		black	<b>52B04589</b>	168.3	10.97	42.56	<b>42</b>	<b>10,725.12</b>
		black	<b>53B04712</b>	168.3	10.97	42.56	<b>42</b>	<b>10,725.12</b>
		bare	<b>2a4289</b>	168.3	10.97	42.56	<b>2</b>	<b>510.72</b>
<b>6"</b>	<b>SCH 160</b>	black	<b>67894</b>	168.3	18.26	67.56	<b>4</b>	<b>1,621.44</b>
<b>8"</b>	<b>SCH 40/STD</b>	black	<b>5E3547</b>	219.1	8.18	42.55	<b>2</b>	<b>510.60</b>
		black	<b>5E3578</b>	219.1	8.18	42.55	<b>95</b>	<b>24,253.50</b>

		black	41324	219.1	8.18	42.55	48	12,254.40
8"	SCH 80/XS	black	2b14108(2202)	219.1	12.70	64.64	111	43,050.24
		black	5E3473	219.1	12.70	64.64	1	387.84
		black	5E3576	219.1	12.70	64.64	19	7,368.96
		black	5E3488	219.1	12.70	64.64	40	15,513.60
		black	5E3490	219.1	12.70	64.64	2	775.68
		black	5E3876	219.1	12.70	64.64	40	15,513.60
8"	SCH 160	black	451262	219.1	23.01	111.27	2	1,335.24
10"	SCH 40/STD	black	5E3575	273.1	9.27	60.31	10	3,618.60
		black	5E3548	273.1	9.27	60.31	19	6,875.34
		black	5E3575	273.1	9.27	60.31	10	3,618.60
10"	SCH 80	black	5E3726	273.1	15.09	96.01	6	3,456.36
10"	SCH XS	black	5D3186	273.1	12.70	81.55	9	4,403.70
		black	5E3486	273.1	12.70	81.55	4	1,957.20
		black	5D3186	273.1	12.70	81.55	2	978.60
		black	5D3271	273.1	12.70	81.55	4	1,957.20
		black	13-1878	273.1	12.70	81.55	79	38,654.70
10"	SCH 120	black	459461	273.1	21.44	133.06	1	798.36
10"	SCH XXS	black	2208200	273.1	25.40	155.15	8	7,447.20
12"	SCH 40	black	2101991	323.9	10.31	79.73	2	956.76
		black	531010	323.9	10.31	79.73	3	1,435.14
		black	520987	323.9	10.31	79.73	6	2,870.28
12"	SCH STD	black	521050	323.9	9.53	73.88	2	886.56
12"	SCH 80	black	3204522	323.9	17.48	73.88	5	2,216.40
12"	SCH XS	black	52B05569	323.9	12.70	97.46	1	584.76
		black	513391	323.9	12.70	97.46	6	3,508.56
		black	513389	323.9	12.70	97.46	1	584.76
		black	52B05569	323.9	12.70	97.46	5	2,923.80
		black	52B05554	323.9	12.70	97.46	2	1,169.52
		black	52B05558	323.9	12.70	97.46	2	1,169.52
		black	2206891	323.9	12.70	97.46	48	28,068.48
12"	SCH 120	black	0734881	323.9	25.40	186.75	1	1,120.50
12"	SCH 160	black	T112760	323.9	33.32	238.76	1	1,432.56
		black	4B9997	323.9	33.32	238.76	8	11,460.48
		black	1A4471	323.9	33.32	238.76	3	4,297.68
		black	1A4471	323.9	33.32	238.76	7	10,027.92
14"	SCH 80	black	321217	355.6	19.05	157.10	7	6,598.20
		black	15602439	355.6	19.05	157.10	6	5,655.60
		bare	15602439	355.6	19.05	157.10	2	1,885.20
14"	SCH XS	black	215082688	355.6	12.70	107.39	8	5,154.72
16"	SCH 80	black	15704268	406.4	21.44	203.53	1	1,221.18
16"	SCH 40/XS	black	026623	406.4	12.70	123.30	10	7,398.00
16"	SCH 120	black	2303104	406.4	30.96	286.64	1	1,719.84
16"	SCH 160	black	19299H	406.4	40.49	365.35	7	15,344.70
		black	15604199	406.4	40.49	365.35	10	21,921.00
18"	SCH 80	black	B25663	457.2	23.88	254.55	2	3,054.60
18"	SCH XS	black	2204021	457.2	12.70	139.15	2	1,669.80
20"	SCH XS	black	3302242	508.0	12.70	155.12	2	1,861.44
20"	SCH XS	black	215124392	508.0	12.70	155.12	1	930.72
22"	SCH STD	black	2103865	558.8	9.53	129.13	1	774.78
22"	SCH XS	black	1204509	558.8	12.70	171.09	1	1,026.54
24"	SCH 40	bare	784772	609.8	17.48	255.41	1	1,532.46
24"	SCH 60	bare	784770	609.8	24.61	355.26	1	2,131.56
24"	SCH 80	black	694881	609.8	30.96	442.08	2	5,304.96
								-
<b>PIPE ERW ANSI B36.10 BWE ANSI B16.25 BLK CS ASTM A53 GR.B</b>								-
16"	SCH 10	black	151002R0406	406.4	6.35	62.64	8	3,006.72
24"	SCH 10	black	1511618	609.8	6.35	94.53	2	1,134.36
								-
<b>CS PIPE HOT DIPPED GALV</b>								-
<b>PIPE; SEAMLESS; CARBON STEEL; ASTM A106 GR-B; DIMENSION ASME</b>								-
<b>B36.10 STANDARD; BUTTWELD ENDS OR PLAIN ENDS AS PER ASME B16.25 STANDARD</b>								-
1/2"	SCH 80/XS		1506001	21.3	3.73	1.78	40	427.68
			15-102153	21.3	3.73	1.78	53	566.68

3/4"	SCH	80/XS		12709287	26.7	3.91	2.20	23	303.60
1"	SCH	80/XS		12708175	33.4	4.55	3.24	48	933.12
1 1/4"	SCH	80/XS		15-101241	42.2	4.85	4.47	26	697.32
1 1/2"	SCH	80/XS		13801962	48.3	5.08	5.95	49	1,749.59
2"	SCH	40/STD		13801962	60.3	3.91	5.44	167	5,450.88
				15-205813	60.3	3.91	5.44	111	3,623.04
2"	SCH	80/XS		103274	60.3	5.54	7.48	100	4,488.00
				15-205800	60.3	5.54	7.48	97	4,353.36
2"	SCH	160		09304818-2	60.3	8.74	12.22	18	1,319.87
				15-109850	60.3	8.74	12.22	53	3,886.28
2"	SCH	XXS		10208361	60.3	11.07	14.45	6	520.34
2 1/2"	SCH	80/XS		120735	73.0	7.01	12.55	72	5,422.03
3"	SCH	40/STD		1541469	88.9	5.49	11.29	88	5,961.12
3"	SCH	80/XS		103203	88.9	7.62	16.80	25	2,519.55
3"	SCH	XXS		120816	88.9	15.24	27.68	2	332.16
4"	SCH	80/XS		122009	114.3	8.56	24.55	30	4,419.36
				Wb27-0237	114.3	8.56	24.55	20	2,946.24
4"	SCH	XXS		31D489	114.3	17.12	45.13	5	1,353.99
5"	SCH	40/STD		1a13425	141.3	6.55	23.95	8	1,149.46
				13604575	141.3	6.55	23.95	13	1,867.87
5"	SCH	80/XS		124086	141.3	9.53	34.07	26	5,314.45
5"	SCH	120		129792	141.3	12.70	44.31	4	1,063.39
				13604575	141.3	12.70	44.31	1	265.85
				13604575	141.3	12.70	44.31	3	797.54
6"	SCH	80/XS		WB92-3058	168.3	10.97	46.82	6	1,685.38
6"	SCH	120		2807142	168.3	14.27	59.62	2	715.44
6"	SCH	160		10607991	168.3	18.26	74.32	2	891.79
				266780	168.3	18.26	74.32	3	1,337.69
8"	SCH	40/STD		5E3578	219.1	8.18	46.81	4	1,123.32
				5E3547	219.1	8.18	42.55	8	2,042.40
				5E6727	219.1	8.18	46.81	11	3,089.13
8"	SCH	80/XS		WB031301558	219.1	12.70	71.10	10	4,266.24
10"	SCH	XS		13-1878	273.1	12.70	89.71	2	1,076.46
12"	SCH	STD		T132-06513	323.9	9.53	73.88	10	4,432.80
				521013	323.9	9.53	73.88	6	2,659.68
12"	SCH	XS		2206891	323.9	12.70	97.46	4	2,339.04
				531007	323.9	12.70	97.46	19	11,110.44
14"	SCH	80		321217	355.6	19.05	173.91	2	2,086.92
14"	SCH	XS		2A8003	355.6	12.70	118.13	2	1,417.55
16"	SCH	XS		150500490	406.4	12.70	123.30	8	5,918.40
									-
									-
<b>SS PIPES</b>									-
<b>PIPE; CONDUCTION; STAINLESS STEEL; SPEC ASTM A-312</b>									-
<b>GR. TP 316L; SEAMLESS ASME B36.19 STANDARD; BUTTWELD END OR PLAIN END.</b>									-
1/2"	SCH	40S		13A0423-948	21.3	2.77	1.30	3	23.40
				13A0327-688	21.3	2.77	1.30	24	187.20
				ZJD1210-1369	21.3	2.77	1.30	2	15.60
1/2"	SCH	80S		1205-488	21.3	3.73	1.65	29	287.10
3/4"	SCH	40S		13A0327-688	26.7	2.87	1.71	12	123.12
3/4"	SCH	80S		1205-400	26.7	3.91	2.24	30	403.20
1"	SCH	40S		J1307-1021	33.4	3.38	2.55	33	504.90
				13A0327-688	33.4	3.38	2.55	67	1,025.10
1"	SCH	80S		12A0831-1683	33.4	4.55	3.29	15	296.10
				1205-401	33.4	4.55	3.29	30	592.20
				Y120096	33.4	4.55	3.29	32	631.68
1 1/4"	SCH	40S			42.2	3.56	3.46	30	622.80
1 1/4"	SCH	80S		ZJD1301-096	42.2	5.08	5.41	20	649.20
1-1/2"	SCH	10S		YX1110-630	48.3	2.77	3.10	64	1,190.40
1 1/2"	SCH	40S		Y110114	48.3	3.68	4.13	9	223.02
1-1/2"	SCH	80S		ZJD1301-095	48.3	5.08	5.41	69	2,239.74
1-1/2"	SCH	160		12A0620-1133	48.3	7.14	7.25	56	2,436.00
2"	SCH	10S		Y12-4306	60.3	2.77	4.01	28	673.68
2"	SCH	40S		ZJD1302-155	60.3	3.91	5.54	54	1,794.96

		ZJD1301-095	60.3	3.91	5.54	26	864.24
2"	SCH 80S	Y110128	60.3	5.54	7.63	20	915.60
		Y110128	60.3	5.54	7.63	31	1,419.18
		Q110102	60.3	5.54	7.63	15	686.70
2-1/2"	SCH 10S	09A1103-1317	73.0	3.05	5.36	51	1,640.16
2-1/2"	SCH 40S	Q110246	73.0	5.16	8.63	25	1,294.50
		10A1019-1387	73.0	5.16	8.63	9	466.02
2-1/2"	SCH 80	1007-237	73.0	7.01	11.41	20	1,369.20
2-1/2"	SCH 160S	YX1008-141	73.0	9.53	14.92	9	805.68
3"	SCH 10S	Q101484	88.9	3.05	6.59	12	474.48
3"	SCH 40S	13A0329-711	88.9	5.49	11.52	45	3,110.40
		12A0803-1678	88.9	5.49	11.52	5	345.60
		Q110393	88.9	5.49	11.52	9	622.08
3"	SCH 80S	YX0904-382	88.9	7.62	15.59	31	2,899.74
		Q101484	88.9	7.62	15.27	3	274.86
		YX0904-410	88.9	7.62	15.27	4	366.48
		YX0904-382	88.9	7.62	15.27	6	549.72
4"	SCH 40S	13A0329-711	114.3	6.02	16.40	21	2,066.40
		13A0502-1068	114.3	6.02	16.40	9	885.60
4"	SCH 80S	Y100458	114.3	8.56	22.77	5	683.10
4"	SCH 160S	YX1005-120	114.3	13.49	33.54	19	3,823.56
		YX1005-120	114.3	13.49	33.54	1	201.24
5"	SCH 80S	FK0904-350	141.3	9.53	31.59	5	947.70
6"	SCH 40S	10A0120-59-Z	168.3	7.11	28.26	5	847.80
		Y100068	168.3	7.11	28.26	3	508.68
6"	SCH XS/80	YX0904-382	168.3	10.97	43.42	10	2,605.20
<b>Total Weight Ton</b>						<b>10932</b>	<b>1,007,893.94</b>

Address: #112,Fuyuan Ave ,Xinsha Industrial Zone Changsha ,Hunan .China  
Tel: 0086-731-88787781  
FAX: 0086-731-84788292  
Enquiry Us: info@hu-steel.com  
Web: www.hu-steel.com