



HUAN STANDARD STEEL CO.,LTD



X-RAY TEST REPORT

File no: HSCO-20160920-1

Product name	SPIRAL STEEL PIPE	Quality Standard	API 5L PSL1
Test standard	GB/T4730-2005	Specification	323.9*6.3*11800mm
Pipe Current mA	2.5	Pipe Voltage kV	100
Sensitivity	2.0%	Equipment Model	HS-XYD-225
<p>323.9*6.3*11800mm <u>60</u> PIECES OF SPIRAL STEEL PIPE, INSPECTED BY QC X-RAY DEPARTMENT: 1、 2、 3、 4、 5、 6、 7、 8、 9、 10、 11、 12、 13、 14、 15、 16、 17、 18、 19、 20、 21、 22、 23、 24、 25、 26、 27、 28、 29、 30、 31、 32、 33、 34、 35、 36、 37、 38、 39、 40、 41、 42、 43、 44、 45、 46、 47、 48、 49、 50、 51、 52、 53、 54、 55、 56、 57、 58、 59、 60</p> <p style="text-align: center;"><u>60</u> PCS passed the X-RAY Inspection</p>			
I Operator: <i>Juan Ding</i>		RT II Signed by: <i>Da Jiang</i>	



HUAN STANDARD STEEL CO.,LTD

=====

X-RAY TEST REPORT

File no: HSCO-20160920-2

Product name	SPIRAL STEEL PIPE	Quality Standard	API 5L PSL1
Test standard	GB/T4730-2005	Specification	406.4*7.1*11800mm
Pipe Current mA	2.5	Pipe Voltage kV	110
Sensitivity	2.0%	Equipment Model	HS-XYD-225
<p>406.4*7.1*11800mm <u>56</u> PIECES OF SPIRAL STEEL PIPE, INSPECTED BY QC X-RAY DEPARTMENT: 2、3、4、6、7、8、10、11、12、13、14、16、17、18、19、20、21、22、23、24、25、26、27、28、29、30、31、32、33、35、36、37、38、39、40、41、42、43、44、45、46、47、48、49、50、51、52、53、54、55、56、57、58、59、60 <u>56</u> PCS passed the X-RAY inspection</p>			
I Operator: <i>Juan Ding</i>		RT II Signed by: <i>Da Jiang</i>	




HUAN STANDARD STEEL CO.,LTD



X-RAY TEST REPORT

File no: HSCO-20160920-3

Product name	SPIRAL STEEL PIPE	Quality Standard	API 5L PSL1
Test standard	GB/T4730-2005	Specification	406.4*11*11800mm
Pipe Current mA	3.0	Pipe Voltage kV	125
Sensitivity	2.0%	Equipment Model	HS-XYD-225
<p>406.4*11*11800mm <u>10 PIECES OF SPIRAL STEEL PIPE</u>, INSPECTED BY QC X-RAY DEPARTMENT: 62、63、64、65、66、67、68、69、70、71 <u>10</u> PCS passed the X-RAY inspection</p>			
I Operator: <i>Juan Ding</i>		RT II Signed by: <i>Da Jiang</i>	
			



HUAN STANDARD STEEL CO.,LTD

=====

Hydraulic Test Report

Report No: HSCO-20160920-4

Product name:	SPIRAL STEEL PIPE	Produce standard	API 5L
Test standard	API 5L PSL1	Equipment model	Hydraulic Test Machine
TEST PRESSURE	$\geq 9.8\text{MPa}$	Steady pressure	$\geq 5\text{S}$
Specification	323.9*6.3*11800mm		
<p>323.9*6.3*11800mm <u>60 PIECES OF SPIRAL STEEL PIPE:</u> 1、 2、 3、 4、 5、 6、 7、 8、 9、 10、 11、 12、 13、 14、 15、 16、 17、 18、 19、 20、 21、 22、 23、 24、 25、 26、 27、 28、 29、 30、 31、 32、 33、 34、 35、 36、 37、 38、 39、 40、 41、 42、 43、 44、 45、 46、 47、 48、 49、 50、 51、 52、 53、 54、 55、 56、 57、 58、 59、 60</p> <p>Inspected by QC Hydraulic-Test PASSED BY TEST PRESSURE AND STEADY PRESSURE IS OK</p>			
Operator: <i>Juan Ding</i>		Issued by: <i>Da Jiang</i>	




HUAN STANDARD STEEL CO.,LTD



Hydraulic Test Report

Report No: HSCO-20160920-5

Product name:	SPIRAL STEEL PIPE	Produce standard	API 5L PSL1
Test standard	API 5L PSL1	Equipment model	Hydraulic Test Machine
TEST PRESSURE	$\geq 9.8\text{MPa}$	Steady pressure	$\geq 5\text{S}$
Specification	406.4*11*11800mm		
<p>406.4*11*11800mm <u>10 PIECES OF SPIRAL STEEL PIPE:</u> 62、63、64、65、66、67、68、69、70、71 Inspected by QC Hydraulic-Test PASSED BY TEST PRESSURE AND STEADY PRESSURE IS OK</p>			
Operator: <i>Juan Ding</i>		Issued by: <i>Da Jiang</i>	
			



HUAN STANDARD STEEL CO.,LTD

=====

Hydraulic Test Report

Report No: HSCO-20160920-6

Product name:	SPIRAL STEEL PIPE	Produce standard	API 5L PSL1
Test standard	API 5L PSL1	Equipment model	水压机
TEST PRESSURE	$\geq 9.8\text{MPa}$	Steady pressure	$\geq 5\text{S}$
Specification	406.4*7.1*11800mm		
<p>406.4*7.1*11800mm <u>56 PIECES OF SPIRAL STEEL PIPE:</u> 2、3、4、6、7、8、10、11、12、13、14、16、17、18、19、20、21、22、23、24、 25、26、27、28、29、30、31、32、33、35、36、37、38、39、40、41、42、43、 44、45、46、47、48、49、50、51、52、53、54、55、56、57、58、59、60 Inspected by QC Hydraulic-Test PASSED BY TEST PRESSURE AND STEADY PRESSURE IS OK</p>			
Operator: <i>Juan Ding</i>	Issued by: <i>Da Jiang</i>		
