\bigcirc	Inspection and Test Plan	Document No.:	HNSTANDARD-ITP-Z -110328	
нѕсо		Page 1 of 6	Rev 00	
		Inspection and Test Plan For SSAW steel pipe		
	Client:			
	Specification:	EN 10224 S275 & contract specification		
	Grade:	S275		
	Size:	As below		

H S C C	Inspection and Test Plan	Document No.: Page 2 of 6	HNSTANDARD-ITP-Z -110328 Rev 00	
Related	terms are defined as follow:			
HOLD	The relevant inspectors shall be informed of time and location of testing and witnessing Witnessing is mandatory the cycle and written notice through a registered check advice special inspection or important stages and 24hoursin advance for regular inspection. Customer representative shall sign and seal the reports.			
Witness	The relevant inspectors shall be informed of time and location of testing through a regist official letter which shall be submitted to related parties at least 2 week in advance for stages and 24 hours in advance for regular inspection. However, work may proceed without the presence of the inspector discretion. Customer representative shall sign and seal the reports.			
Monitor	Work proceeds without the presence and special information of the test. Inspectors reserve the right to attend this activity at any time.			
Review	Check of certifications and /or documents, with approved procedures, specification and Documents reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed and sealed as reviewed by Customer representative, shall be signed as revie		ria.	
Perform	Mill performs.			

	ि	Inspection a	and Test Plan		Docum	nent No.: HNS	STANDARD-ITP-Z -110328	
Н	SCO						Rev 00	
No.	Quality control acti	on Inspection item	Acceptance criterion.	Relevant docum	ents	Shinestar inspection	Owner inspection	
1.0	Control prior production	to						
1.1	Welder qualification	•Welder qualification certificate		•Welder quali certificate	ification	Submittal	R	
1.2	NDT operator qualification	NDT personnel certificate		NDT personnel cer	rtificate	Submittal	R	
1.3	Calibration of test of inspection equipment and instrument			Calibration certification	ate	Submittal	R	
1.4	Strips steel control	•Strips steel incoming check •Strips steel storage	Purchase order Product tracking procedure	•strips steel mill certificate		Submittal	M/R	
1.5	Welding consumables contr	 Incoming check Mill certificate Handling and storage Drying record 	 Welding material spec. Relevant national standard 	 Incoming check record Flux certificate Wire certificate Electrode mill certificate Drying record 		Submittal	M/R	
1.6	Spiral Weld Procedure Qualification Test	 Tensile test Impact test Guided bend test Weld seam macrograph test Hardness test 	●EN10224 S275 ●contract specification	MPQT test report		Ρ	M/R	
1.7	Repair Weld Procedure Qualification Test	 Tensile test Impact test Guided bend test Weld seam macrograph test Hardness test 	●EN10224 S275 ●contract specification	●PQR		Ρ	M/R	
1.8	Repair Wel Qualification Test	er ●Guided bend test	•EN10224 S275 •contract specification	•WPQR		Ρ	M/R	

		Inspection ar	nd Test Plan		Docum	nent No.: HNS	TANDARD-ITP-Z -110328				
н	SCO					age 4 of 6	Rev 00				
No.	Quality control action	Inspection item	Acceptance criterion.	Relevant docum	ents	Shinestar inspection	Owner inspection				
2.0	Process control Strips steel reception	 Strips steel certificate Marking Amount Visual check Dimensions Grade/size Heat No. Batch No. 	 Strips steel purchase spec. Purchase order 	 Reception report Unacceptable strips steel feedback 		Ρ	R				
2.2	Forming	 Surface quality Gap after forming Circumference Bevel dimension 	•EN10224 S275 •contract specification	•Forming procedure		Р	М				
2.3	Welding Control	•Weld profile	•EN10224 S275 •contract specification	 Tack welding record Inside and outside welding record Outside check record 		Р	М				
2.4	Automatic and manual UT of weld seam	 Defects in weld and HAZ of each pipe Reference calibration 	•UT procedure	●UT report ●Manual UT report		Р	M/R				
	X-ray Real Time Imaging Inspection of Pipe Weld Seam	•Defects in weld and HAZ of each pipe	•RT procedure	•RT report		Ρ	M/R				
2.6	Repair welding	 Electrode complying requirements Drying temperature Holding oven Welding amount, length, spacing, position Welding quality 	•EN10224 S275 •contract specification	●Repair record		●Repair record		●Repair record		Ρ	M/R
No.	Quality control action	Inspection item	Acceptance criterion.	Relevant docum	ents	Shinestar inspection	Owner inspection				

	3	Inspection ar	nd Test Plan	·	Document No.: Page 5 of 6	HNSTANDARD-ITP-Z -110328
<u> </u>	SCO				Fage 5 01 0	
2.10	Hydrostatic test	 Gauge calibration Pressure/duration Leakage Surface quality 	•EN10224 S275 •contract specification	•Hydrostatic test rec •Pressure chart	ord P	М
2.11	Chemical and mechanical test	 chemical analysis Tensile test Impact test Guided bend test Weld seam macrograph test Hardness test 	•EN10224 S275 •contract specification	•Test report	Ρ	M/W
2.12	UT of weld seam after hydro-test	 Defects in weld and HAZ of each pipe Reference calibration 	•UT procedure	•UT report •Manual UT report	Р	M/R
2.13	X-ray film radiography inspection of pipe end weld seam	 Defects in weld and HAZ of each pipe end 	•RT procedure	•RT report	Р	M/R
2.14	X-ray Real Time Imaging Inspection of full length Weld Seam	 Defects in weld and HAZ of each pipe 	●RT procedure	●RT report	Р	M/R
2.15	End facing inspection	 Randomly check End bevel and root face 	•EN10224 S275 •contract specification	•Dimension record	Ρ	М
No.	Quality control action	Inspection item	Acceptance criterion.	Relevant docume	ents Shine inspec	UW/ner inspection

	ि	Inspection a	nd Test Plan		Document No.:	HNST	ANDARE -110328	
Н	HSCO					Page 6 of 6		
2.17	Finish inspection	 Diameter Out-of-roundness Wall thickness Length Pipe end dimension Radial offset Undercut Dent Hard spot Are burns Weld dimension Surface quality Pipes with bracing Pipes with metal caps 	•EN10224 S275 •contract specification	•Dimension record	F	5	M	′R
2.18	Marking	 Marking item and position 			F	D	Ν	1
2.19	General check	 Check Marks Pipe stacking No damage from lifting 	•Storage, handling and shipping procedure	 Inspection record 	F	D	M	′R
2.20	Dock shipping	 Check pipe end for damage Check pipe body for damage 	•Shipping procedure	Dock shipping chear record	ck F	D	M	′R
2.21	Pipe mill certificate review	•Review certificate content and form		•Quality certificate by owner	signed Subr	nittal	H/	'R